

Boat Trailers, Cargo Trailers, Horse & Stock Trailers, RV-Towable Utility Trailers, & Specialty Trailers

ULTRA SPORT RADIAL



RADIAL – TRAILER

ULTRA SPORT RADIAL

Size	Product Code	Load Range	MTD Dia.	MTD Width	Rim Width	Max Load Capacity	Max PSI	Tire Weight	Tread Depth (32nds)
ST235/60R14	5193081	LRC	25.2	9.1	7.00	1820	50	24.0	16
ST235/60R15	5193091	LRD	26.2	9.2	7.00	2200	65	26.7	16



HIGHWAY SPEED TRAILER TIRES:

Ultra Sport, Radial Trail, USA Trail, Sport Trail, Sport Trail LT,

Approved for over-the-highway use, these tires comply with U.S. Department of Transportation requirements. Their long-lasting, wrap-around tread provides sure cornering and safe travel.

Boat Trailers, Cargo Trailers, Horse & Stock Trailers, RV- Towable Utility Trailers, & Specialty Trailers

RADIAL TRAIL



RADIAL TRAIL

RADIAL TRAIL is approved for Highway Speed Use

Size	Product Code	Load Range	MTD Dia.	MTD Width	Rim Width	Max Load Capacity	Max PSI	Tire Weight	Tread Depth (32nds)
ST145/R12	5151291	LRD	21.4	5.8	4.00	1220	65	15.0	8
ST175/80R13	5198121	LRC	24.1	6.7	4.50	1360	50	16.5	10
ST185/80R13	5193521	LRC	24.7	7.1	4.50	1480	50	19.6	10
ST205/75R14	5198131	LRC	26.1	8.0	5.50	1760	50	23.4	10
ST215/75R14	5198141	LRC	26.8	8.2	6.00	1870	50	22.6	10
ST205/75R15	5198151	LRC	27.1	8.0	5.50	1820	50	25.2	10
ST205/75R15	5198081	LRD	27.2	8.0	5.00	2150	65	24.4	10
ST225/75R15	5198161	LRC	28.2	8.8	6.00	2150	50	28.5	10
ST225/75R15	5198171	LRD	28.2	8.8	6.00	2540	65	29.4	10
ST225/75R15	5198221 *	LRE	28.2	9.0	6.00	2830	80	30.5	10
ST235/80R16	5190821	LRE	30.8	9.0	6.00	3420 - S 3000 - D	80	35.0	13
ST235/85R16	5192991	LRE	31.7	9.3	6.00	3640 - S 3200 - D	80	39.5	13
ST235/85R16	5193411 *	LRF	31.9	9.0	6.00	3960 - S 3520 - D	95	41.2	13
ST245/75R16	5198241	LRD	30.5	9.2	6.00	3000 - S 2680 - D	65	39.4	13

*Requires HD Wheel

S = SINGLE D = DUAL

Boat Trailers, Cargo Trailers, Horse & Stock Trailers, RV-Towable Utility Trailers, & Specialty Trailers

USA TRAIL®



USA TRAIL®

USA TRAIL is approved for Highway Speed Use

Size	Product Code	Load Range	MTD Dia.	MTD Width	Rim Width	Max Load Capacity	Max PSI	Tire Weight	Tread Depth (32nds)
4.80 - 8	519056	LRB	17.1	5.1	3.75	585	60	6.6	6
4.80 - 8	519058	LRC	17.4	5.1	3.75	760	90	7.6	6
5.70 - 8	519086	LRB	19.2	6.0	3.75	715	50	9.6	10
5.70 - 8	519087	LRC	18.8	6.0	3.75	910	75	11.3	10
5.70 - 8	519088	LRD	18.9	6.1	3.75	1070	100	12.2	10
16.5 x 6.5 - 8	519297	LRC	16.2	6.6	5.38	785	70	10.5	7
16.5 x 6.5 - 8	519298	LRD	16.3	6.7	5.38	910	90	11.1	7
18.5 x 8.5 - 8	519471	LRB	18.0	8.4	7.00	760	35	13.5	10
18.5 x 8.5 - 8	519472	LRC	17.7	8.5	7.00	935	50	15.4	10
6.90 - 9	519572	LRC	22.0	7.1	4.50	1100	60	13.5	10
20.5 x 8.0 - 10	519141	LRB	21.0	8.4	6.00	910	35	16.0	10
20.5 x 8.0 - 10	519142	LRC	20.7	8.5	6.00	1100	50	15.4	10
20.5 x 8.0 - 10	519143	LRD	20.5	8.6	6.00	1320	70	17.9	10
20.5 x 8.0 - 10	519144	LRE	20.9	8.7	6.00	1520	90	19.2	10
4.80 - 12	519062	LRB	21.0	5.0	4.00	785	60	8.1	8
4.80 - 12	519063	LRC	21.3	5.1	4.00	990	90	10.4	8
5.30 - 12	519076	LRB	21.8	5.3	4.00	855	55	10.2	8
5.30 - 12	519077	LRC	22.1	5.3	4.00	1050	80	11.3	8
ST175/80D13	519161	LRC	25.0	6.7	4.50	1360	50	17.4	10
ST205/75D14	519300	LRC	26.0	8.3	5.50	1760	50	23.6	10
ST215/75D14	519315	LRC	26.3	8.5	6.00	1870	50	24.3	10
ST205/75D15	519400	LRC	27.1	8.0	5.50	1820	50	23.8	10
ST225/75D15	519410	LRC	28.1	8.9	6.00	2150	50	29.2	10
ST225/75D15	519412	LRD	28.6	9.0	6.00	2540	65	34.6	10

Boat Trailers, Cargo Trailers, Horse & Stock Trailers, RV- Towable Utility Trailers, & Specialty Trailers

SPORT TRAIL

SPORT TRAIL LT®



SPORT TRAIL

Size	Product Code	Load Range	MTD Dia.	MTD Width	Rim Width	Max Load Capacity	Max PSI	Tire Weight	Tread Depth (32nds)
4.80 - 8	5193171	LRB	16.2	4.7	3.75	585	60	5.80	7
4.80 - 8	5193181	LRC	16.3	4.9	3.75	760	90	6.40	7
5.70 - 8	5193191	LRB	18.1	5.9	3.75	715	50	9.20	10
5.70 - 8	5193201	LRC	18.4	6.0	3.75	910	75	9.90	10
16.5 x 6.5 - 8	5193461	LRC	16.6	6.8	5.38	785	70	9.45	7
16.5 x 6.5 - 8	5193481	LRD	16.6	6.8	5.38	910	90	10.30	7
18.5 x 8.5 - 8	5193431	LRB	18.0	8.6	7.00	760	35	12.20	11
18.5 x 8.5 - 8	5193451	LRC	17.9	8.7	7.00	935	35	13.36	11
20.5 x 8.0 - 10	5193441	LRB	20.8	8.1	6.00	910	35	14.35	11
20.5 x 8.0 - 10	5193471	LRC	20.9	8.0	6.00	1100	50	16.14	11
20.5 x 8.0 - 10	5193491	LRD	20.7	8.3	6.00	1320	70	17.08	11
20.5 x 8.0 - 10	5193501	LRE	20.8	8.5	6.00	1520	90	17.88	11
20.5 x 8.0 - 10	5193511	LRF	21.2	8.5	6.00	1650	105	18.30	11
4.80 -12	5193211	LRB	20.7	5.1	4.00	785	60	9.70	7
4.80 -12	5193221	LRC	21.0	5.1	4.00	990	90	10.10	7
5.30 -12	5193231	LRB	21.4	5.4	4.00	855	55	9.30	7
5.30 -12	5193241	LRC	21.7	5.5	4.00	1050	80	10.90	7
ST175/80D13	5193251	LRB	24.2	6.8	4.50	1100	35	18.10	7
ST175/80D13	5193261	LRC	24.0	6.8	4.50	1360	50	20.40	7
ST205/75D14	5193271	LRB	26.4	7.8	5.50	1430	35	20.80	7
ST205/75D14	5193131	LRC	26.3	7.8	5.50	1760	50	22.90	10
ST215/75D14	5193281	LRC	26.7	8.0	5.50	1870	50	24.20	10
ST205/75D15	5193291	LRB	26.9	7.9	5.00	1480	35	22.40	10
ST205/75D15	5193381	LRC	27.0	7.9	5.00	1820	50	23.20	10
ST225/75D15	5193301	LRC	27.7	8.7	6.00	2150	50	28.90	11
ST225/75D15	5193311	LRD	28.2	8.7	6.00	2540	65	30.70	11

SPORT TRAIL LT®

700 - 15LT	5193351	LRD	29.83	8.29	5.50	2040 - S 1820 - D	60	32.14	15
750 - 16LT	5193371	LRE	32.61	8.62	6.00	2755 - S 2470 - D	75	38.80	15
8 - 14.5LT	5193341	LRF	28.32	8.07	6.00	2835 - S 2470 - D	100	28.69	15