

CDN Rev: July 31, 2009

**Specifications**

Length	7.65 m / 25'10"	Aluminum Thickness	
Beam	2.59 m / 8' 6"	Side material thickness	3.2 mm / 0.125
Height of Sides	97 cm / 38"	Bottom thickness	6.4 mm / 0.25
Bottom Width	2.08 m / 82"	Bottom Alloy	5086
Approx. Dry Weight	1988 kg / 4383 lbs	Cockpit Area	2.21 m x 2.13 m / 87"L x 84"W
Deadrise	Variable 18 degrees	Cabin Length	2.51 m / 99"
Fuel Capacity	473 L / 125 USG	V-berth length	1.64 m / 63 3/4"
Maximum HP	250 hp	Fish locker in cockpit floor	212 L / 56 USG
Transom height	64 cm / 25"	Transom fish locker	91 L / 24 USG
Transom weight limit	408 kg / 900 lbs	Cabin Headroom	1.91 m / 6' 3"



Boat may not be exactly as shown

**Standard Features****Hull Features**

Pre-Flex® hull technology  
 Full length performance delta keel  
 Engineered full length reverse chines  
 Performance lifting strakes  
 Formed compound angle box stringers / full length  
 Fully welded bow stem / heavy duty keel guard 7/16" total keel thickness  
 Single piece hull sides with wide formed gunnels  
 Fully welded external rub rail / hull stiffener  
 Closed cell polyurethane foam below cabin deck  
 Anchor rope locker; self draining with interior access hatch  
 Forward sloping windshield with (3) aluminum framed safety glass windows  
 (3) heavy duty pantographic windshield wipers  
 Raised self-bailing cockpit deck  
 Welded aluminum cockpit toe rail  
 Fish locker in cockpit floor with commercial diaphragm pump out  
 Transom fish locker with cutting board and fish rail  
 (4) full length side storage trays in cockpit  
 Transom easy access door  
 Full width integrated external motor bracket  
 Welded bow eye with stainless steel insert  
 2 Stern eyes  
 (7) 8" welded bow and stern cleats  
 Hydraulic steering with center mount cylinder  
 Fully transferable lifetime hull warranty  
 2 tone paint with zolatone decks and cabin  
 Stainless steel bow rail (1" dia x 24" H)  
 Foul weather bow combings  
 Welded sacrificial anodes

**Cabin Features**

Finished cuddy with carpeting and hull liner  
 Carpeted storage compartment in v-berth  
 (2) carpeted v-berth storage shelves  
 (2) v-berth lights  
 V-berth privacy curtain  
 V-berth cushion  
 18" hatch with screen and (2) portholes with screens  
 Zolatone interior with carpeted hull sides and granite upholstery  
 Carpeted dash with sill  
 Carpeted radio shelf with enclosure curtain  
 4 Drink holders  
 Suspension helm seat with slider  
 Acrylic coated UV treated marine vinyl flooring  
 Heavy duty weather tight cabin door

**Electric Features**

DC switch panel with illuminated switches and breakers  
 (2) Electric 1100 gph bilge pumps with auto switch  
 Navigation lights package  
 Interior cabin lighting  
 Battery holders and 4-way dual battery switch  
 Trim tabs 9" X 12"  
 Dual compact electric horn  
 Main wiring harness with water tight connections and color coded and labeled wires  
 Mounting plate for thru-hull transducer

**Trailer / Standard with Boat Package**

EZ Loader 7500 lb factory matched galvanized tandem axle bunk trailer with custom tie down straps

**Standard Weekender Package**

Dinette package with convertible berth and cushion  
 Forward bench seat with reversible back rest with (1) extendible rear bench seat  
 Hand crafted solid maple cabinets; 1 drawer, 1 utensil compartment, 2 cupboards, 2 counter tops and coat rack  
 Stainless steel sink with electric faucet  
 Ice box  
 Stand up enclosed head with flush toilet, privacy curtains and dome light  
 20 gallon fresh water tank  
 20 gallon holding tank with Y valve, macerator pump and deck side clean out

**Available Option Packages****Aurora All Weather Package**

Bolster gunnel pads in aft fishing deck  
 Stainless steel radar arch  
 8 rod holders mounted on the cabin roof top  
 Stainless exterior hard top grab rails  
 Stainless interior roof rails  
 High pressure wash down system  
 Cockpit light


**Dockside Package**

Shore power with AC breaker panel, auto battery charger, galvanic isolator, 2- 110V outlets, 50 feet - 30 AMP shore power cord, and AC DC fridge upgrade from ice box

**Pac-West Package**

1 1/4" Stainless steel bow rails  
 Non skid cabin walk around  
 Insulated fish boxes with dividers  
 High pressure wash down system  
 Transom mounted bleed box with petcock drain and sprayers  
 Cabin top rocket launcher rod holders for 24 rods  
 Interior roof top rod storage



2010 Dealer Program		<b>KINGFISHER</b>						Page 3 Prerig Specs 2525						
		CDN Rev: July 31, 2009												
Kingfisher Series 2525		Gauge System	Remote Controls	Gauges			Fuel Filters	Steering Type	Engine Sync	Engine Trim	Aux Station	Auxiliary Station		
				Tach	Volt	Speedo	Fuel					Start/Stop	Eng. Trim	
<b>Mercury Single Station (Non Verado)</b>														
115 hp, 2 engines, 1 helm w/ controls		Analog	Mercury	2	No	No	Yes	No	Hydraulic	n/a	Remote	No	n/a	n/a
<b>Mercury Verado Single Station</b>														
135-200 hp4 cyl, 1 engine, 1 helm w/ control		Smartcraft	DTS	1	Yes	Yes	Yes	No	Hydraulic	n/a	Remote	No	No	No
225+ hp 6cyl, 1 engine, 1 helm w/ control		Smartcraft	DTS	1	Yes	Yes	Yes	No	Power	n/a	Remote	No	No	No
<b>Mercury Verado Dual Station</b>														
135-200 hp 4cyl, 1 engine, 2 helms w/ controls		Smartcraft	DTS	1	Yes	Yes	Yes	No	Hydraulic	n/a	Remote	Yes	Yes	Yes
225+ hp 6cyl, 1 engine 2 helms w/ controls		Smartcraft	DTS	1	Yes	Yes	Yes	No	Power	n/a	Remote	Yes	Yes	Yes
<b>Yamaha Single Station</b>														
115-225 hp, 1 engine, 1 helm w/ control		Cmd Link	Yamaha	1	Yes	Yes	Yes	1	Hydraulic	n/a	Remote	No	n/a	n/a
250+ hp, 1 engine, 1 helm w/ DEC control		Cmd Link	DEC	1	Yes	Yes	Yes	1	Hydraulic	n/a	Remote	No	n/a	n/a
115-225 hp, 2 engines, 1 helm w/ controls		Cmd Link	Yamaha	2	Yes	Yes	Yes	2	Hydraulic	n/a	Remote	No	n/a	n/a
<b>Yamaha Dual Station</b>														
115-225 hp, 1 engine, 2 helms w/ KE4 controls		Cmd Link	Morse KE4	1	Yes	Yes	Yes	No	Hydraulic	Manual	Dash Sw	Yes	Stop Only	No
250+ hp, 1 engine, 2 helms w/ DEC controls		Cmd Link	DEC	2	Yes	Yes	Yes	1	Hydraulic	Manual	Remote	Yes	Yes	Yes
115-225 hp, 2 engines, 2 helms w/ KE4 controls		Cmd Link	Morse KE4	1	Yes	Yes	Yes	No	Hydraulic	Manual	Dash Sw	Yes	Stop Only	No

**Notes :**

DTS = Digital Throttle & Shift (Mercury)

Cmd Link = Command Link (Yamaha)

DEC = Digital Electronic Control (Yamaha)

KE4 = digital control w/mechanical actuators (Morse/Teleflex)

\* Command Link & DTS Systems include fuel management capability