

CDN Rev: July 31, 2009

Specifications

Length	8.66 m / 28' 5"	Aluminum Thickness	
Beam	2.9 m / 9' 6"	Side material thickness	4.1 mm / 0.16
Height of Sides	107 cm / 42"	Bottom thickness	6.4 mm / 0.25
Bottom Width	2.29 m / 90"	Bottom Alloy	5086
Approx. Dry Weight	2288 kg / 5044 lbs	Cockpit Area	2.21 m x 2.39 m / 87"L x 94"W
Deadrise	Variable 18 degrees	Cabin Length	2.83 m / 111 1/2"
Fuel Capacity	606 L / 160 USG	V-berth length	1.82 m / 71 1/2"
Maximum HP	450 hp	(2) 55 USG Fish lockers in cockpit floor	416 L / 110 USG total
Transom height	64 cm / 25"	Transom fish locker	114 L / 30 USG
Transom weight limit	544 kg / 1200 lbs	Cabin Headroom	1.97 m / 6' 5 1/2"



Boat may not be exactly as shown

Standard Features**Hull Features**

Pre-Flex® hull technology
 Full length performance delta keel
 Engineered full length reverse chines
 Performance lifting strakes
 Formed compound angle box stringers / full length
 Fully welded bow stem / heavy duty keel guard 7/16" total keel thickness
 Single piece hull sides with wide formed gunnels
 Fully welded external rub rail / hull stiffener
 Closed cell polyurethane foam below cabin deck
 Anchor rope locker / self draining with interior access hatch
 Forward sloping windshield with (3) aluminum framed safety glass windows
 (3) heavy duty pantographic windshield wipers
 Raised self-bailing cockpit deck
 Welded aluminum cockpit toe rail
 (2) Fish locker in cockpit floor with commercial diaphragm pump out
 Transom fish locker with cutting board and fish rail
 (4) full length side storage trays in cockpit
 Transom easy access door
 Full width integrated external motor bracket
 Welded bow eye with stainless steel insert
 2 Stern eyes
 (7) 8" welded bow and stern cleats
 Hydraulic steering with center mount cylinder
 Fully transferable lifetime hull warranty
 2 tone paint with zolatone decks and cabin
 Stainless steel bow rail (1" dia x 24" H)
 Foul weather bow combings
 Welded sacrificial anodes

Cabin Features

Finished cuddy with carpeting and hull liner
 Carpeted storage compartment in v-berth
 (2) carpeted v-berth storage shelves
 (2) v-berth lights
 V-berth privacy curtain
 V-berth cushion
 18" hatch with screen and (2) portholes with screens
 Zolatone interior with carpeted hull sides and granite upholstery
 Carpeted dash with sill
 Carpeted radio shelf with enclosure curtain
 4 Drink holders
 Suspension helm seat with slider
 Acrylic coated UV treated marine vinyl flooring

Electric Features

DC switch panel with illuminated switches and breakers
 (3) Electric 1100 gph bilge pumps with auto switch
 Navigation lights package
 Interior cabin lighting
 Battery holders and 4-way dual battery switch
 Trim tabs 12" X 12"
 Dual compact electric horn
 Main wiring harness with water tight connections and color coded and labeled wires
 Mounting plate for thru-hull transducer

Standard Weekender Package

Dinette package with convertible berth and cushion
 Forward bench seat with removable back rest with (3) extendible bench seats
 Hand crafted solid maple cabinets; 3 drawers, 1 utensil, compartment, 3 cupboards, 2 counter tops and coat rack
 Stainless steel sink with electric faucet
 Ice box
 Stand up enclosed head with flush toilet, privacy curtains and dome light
 40 gallon fresh water tank
 40 gallon holding tank with Y valve, macerator pump and deck side clean out

Available Option Packages**Aurora All Weather Package**

Bolster gunnel pads in aft fishing deck
 Stainless steel radar arch
 8 rod holders mounted on the cabin roof top
 Stainless exterior hard top grab rails
 Stainless interior roof rails
 High pressure wash down system
 Cockpit light

Dockside Package

Shore power with AC breaker panel, auto battery charger, galvanic isolator, 2- 110V outlets, 50 feet - 30 AMP shore power cord, and AC DC fridge upgrade from ice box

Pac-West Package

1 1/4" Stainless steel bow rails
 Non skid cabin walk around
 Insulated fish boxes with dividers
 High pressure wash down system
 Transom mounted bleed box with petcock drain and sprayers
 Cabin top rocket launcher rod holders for 24 rods
 Interior roof top rod storage

2010 Dealer Program



Page 2, Custom Options


2825



CDN Rev: July 31, 2009

Base Boat	\$ 98,114	Auxiliary Pre-Rigs Requires Auxiliary Steering Station		Hull Options	
Power Options		Mercury Side mount Stbd. Cockpit	\$ 605	Auxiliary steering station for stbd bulkhead	\$ 1,475
Mercury		Yamaha Side mount Stbd. Cockpit	\$ 645	Auxiliary steering station for Verado 6 Cyl	\$ 1,475
Base Boat with Recommended Power		Alternative Prop		Note: Steering stations do not include engine control	
Twin Counter Rotating 150 XL & CXL Verado 4 cyl	\$ 131,210	Please Provide Mercury or Yamaha Part Number as		Remote bow thruster kit with helm joystick	\$ 4,383
Recommended SS Prop 15 X 15	\$ 604	Provided in the Propeller Section of the 2009 Program		Bow thruster aux. helm joystick control	\$ 477
Recommended SS Prop (CR) 15 X 15	\$ 604	Part #:		Welded bow pulpit with anchor windlass	\$ 3,766
Alternatives (See Mercury Parts Pricing for Props)		Aurora All Weather Package	\$ 2,795	Anchor windlass with bow roller	\$ 2,545
300 XL Verado 6 cyl	\$ 125,142	Dockside Package	\$ 3,335	Bow combing hawse rings w/ 2 additional cleats	\$ 357
Twin Counter Rotating 175 XL & CXL Verado 4 cyl	\$ 135,167	Pac-West Package	\$ 5,269	Welded aluminum bolt on kicker bracket	\$ 345
Auxiliary Engines		(see pg.1 for details)		Fuel quick disconnect for kicker w shut-off valve	\$ 195
9.9 EXLHPT BigFoot Pro Kicker 4-S	\$ 4,216	Color Options		Cockpit side access door (Port)	\$ 1,769
9.9 EXLPT Bigfoot Pro Kicker 4-S	\$ 4,221	Select full or 2 tone side paint color and zolatone from template		Exterior shower	\$ 318
15 EXLPT BigFoot Pro Kicker 4-S	\$ 4,231	Interior Options		Roof top mounted remote search light	\$ 438
Yamaha		Espar diesel airtronic heater/defroster Kit	\$ 4,492	Side window screens (Star/Port)	\$ 175
Base Boat with Recommended Power		Espar diesel heater/defroster Kit c/w	\$ 9,361	Opening front center window	\$ 469
Twin Counter Rotating F150X & LF150X	\$ 133,076	hot water and shower		Note: Center wiper not available	
Recommended SS Prop 15 1/4 X 15 SWII	\$ 648	Cold weather pack; includes interior wall	\$ 995	Tinted windows	\$ 395
Recommended SS Prop (CR) 15 1/4 X 15 SWII	\$ 648	liners and premium carpet runner		Adjustable roof top cargo rails	\$ 540
Alternatives (see Yamaha Parts Pricing for Props)		Cold air defrost kit	\$ 424	3' Cockpit bimini with stainless hardware	\$ 948
F250XC	\$ 125,511	Origo two burner alcohol stove	\$ 875	Cockpit rail, 18" x 6" - Dealer install (ea)	\$ 57
F300XC	\$ 128,986	Wallas 85DU diesel stove/heater (6150 btu)	\$ 3,997	Cockpit rail, 36" x 6" - Dealer install (ea)	\$ 62
F350XC	\$ 131,237	Hand crafted cupboard over sink / stove	\$ 397	Cockpit transom rail, 66" x 6" - Dealer install (ea)	\$ 253
Twin Counter Rotating F200X & LF200X	\$ 144,188	Hand crafted plate & chart rack over dinnette	\$ 416	Stainless removable rear platform safety rails	\$ 397
Auxiliary Engines		CO Detector (recommended with installation	\$ 144	Radar mast with wings	\$ 652
T9.9XP	\$ 4,548	of cooking or heating appliance)		Stainless Steel Re-boarding ladder	\$ 189
Pre-Rig Options (detailed component list, page 3)		Electronic Options:		Polished rub rail	\$ 826
Mercury Verado Single Station		BEP 2-Battery management system (single engine)	\$ 475		
225+ hp 6 cyl,1 engine, 1 helm w/ control	\$ 4,917	BEP 3-Battery management system (twin engines)	\$ 615	Trailer Options	
135-200 hp 4 cyl, 2 engines, 1 helm w/ controls	\$ 7,443	Accessory electronics wiring harness	\$ 208	EZ Loader 9000 lb factory matched galvanized	\$ 9,180
Mercury Verado Dual Station (incl aux. steering sta)		High water bilge alarm	\$ 128	tri-axle bunk trailer with custom tie down straps	
225+ hp 6 cyl, 1 engine, 2 helms w/ controls	\$ 8,907	Marine stereo with 4 speakers and rear station control	\$ 1,378	Slick bunks (set of 32)	\$ 410
135-200 hp 4 cyl, 2 engines, 2 helms w/ controls	\$ 12,998	Seating Options		Spare tire and mounting bracket (9000 lb)	\$ 347
Yamaha Single Station		Cockpit folding seat 24"	\$ 549	Brake flush kit (3 axle)	\$ 279
115-225 hp, 1 engine, 1 helm w/ control	\$ 2,846	Cockpit folding seat 32"	\$ 579		
250+ hp 1 engine, 1 helm w/ DEC control	\$ 4,602	Customer:		Flooring: (circle one)	
115-225 hp, 2 engines, 1 helm w/ control	\$ 4,835	Address:		Dealer Pays	
Yamaha Dual Station (incl aux. steering sta)		PO Number:		Factory Pays	
250+ hp 1 engine, 2 helms w/ DEC controls	\$ 9,867			Subtotal	\$ -
115-225 hp, 2 engines, 2 helms w/ KE4 controls	\$ 15,222			Shipping protection	\$ 940
				Freight	
				Discover Boating	
				Grow Boating	
				Total	

There will be a 25% restocking fee on all returned or cancelled orders. The factory reserves the right to add shipping protection and invoice the dealer. FOB Vernon, BC. Prices, standard features and options are subject to change with out notice.

2010 Dealer Program		KINGFISHER						Page 3 Prerig Specs 2825		 using ABYC standards				
Kingfisher Series 2825		Gauge System	Remote Controls	Gauges			Fuel Filters	Steering Type	Engine Sync	Engine Trim	Aux Station	Auxiliary Station		
				Tach	Volt	Speedo	Fuel					Start/Stop	Eng. Trim	
Mercury Verado Single Station														
225+ hp 6cyl, 1 engine, 1 helm w/ control		Smartcraft	DTS	1	Yes	Yes	Yes	No	Power	n/a	Remote	No	No	No
135-200 hp 4cyl, 2 engines, 1 helm w/ controls		Smartcraft	DTS	1	Yes	Yes	Yes	No	Hydraulic	n/a	Remote	No	No	No
Mercury Verado Dual Station														
225+ hp 6cyl, 1 engine, 1 helm w/ control		Smartcraft	DTS	1	Yes	Yes	Yes	No	Power	n/a	Remote	Yes	Yes	Yes
135-200 hp 4cyl, 2 engines, 1 helm w/ controls		Smartcraft	DTS	1	Yes	Yes	Yes	No	Hydraulic	n/a	Remote	Yes	Yes	Yes
Yamaha Single Station														
115-225 hp, 1 engine, 1 helm w/ control		Cmd Link	Yamaha	1	Yes	Yes	Yes	1	Hydraulic	n/a	Remote	No	n/a	n/a
250+ hp, 1 engine, 1 helm w/ DEC control		Cmd Link	DEC	1	Yes	Yes	Yes	1	Hydraulic	n/a	Remote	No	n/a	n/a
115-225 hp, 2 engines, 1 helm w/ controls		Cmd Link	Yamaha	2	Yes	Yes	Yes	2	Hydraulic	n/a	Remote	No	n/a	n/a
Yamaha Dual Station														
250+ hp, 1 engine, 2 helms w/ DEC controls		Cmd Link	DEC	2	Yes	Yes	Yes	1	Hydraulic	Manual	Remote	Yes	Yes	Yes
115-225 hp, 2 engines, 2 helms w/ KE4 controls		Cmd Link	Morse KE4	1	Yes	Yes	Yes	No	Hydraulic	Manual	Dash Sw	Yes	Stop Only	No

Notes :

DTS = Digital Throttle & Shift (Mercury)

Cmd Link = Command Link (Yamaha)

DEC = Digital Electronic Control (Yamaha)

KE4 = digital control w/mechanical actuators (Morse/Teleflex)

* Command Link & DTS Systems include fuel management capability