

VENTUS V4ESH105

Ultra-High Performance All Season

V, W-Rated

UTQG: 420/A/A



The superb wet and dry handling is competitive with some of the best UHP summer tires available, but the Ventus V4 ES also gets twice the winter performance of the typical summer UHP tire. The best technological advances in profile design, construction, tread pattern and tread compound have been applied together in one state-of-the-art tire. The result is a sophisticated tire that provides excellent handling in all weather conditions, along with an advanced, cutting-edge appearance.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1005271	205/50R16 XL	91V	6.50	5.5-7.5	50	1,356			24.1	8.3	6.8	11.0	862	DSB
1005274	225/50R16 XL	96V	7.00	6.0-8.0	50	1,565			24.9	9.1	7.7	11.0	834	DSB
1008693	245/50ZR16	97W										11.0		DSB
1009500*	195/55R16	87V										11.0		DSB
1005280	205/55R16 XL	94V	6.50	5.5-7.5	50	1,477			24.9	8.3	6.5	11.0	834	DSB
1005281	215/55R16 XL	97V	7.00	6.0-7.5	50	1,609			25.3	8.8	6.8	10.5	821	DSB
1005282	225/55R16 XL	99V	7.00	6.0-8.0	50	1,709			25.9	9.1	7.1	10.5	802	DSB
1005267	205/40ZR17 XL	84W	7.50	7.0-8.0	50	1,102			23.5	8.3	7.0	10.5	884	SBL
1005269	215/40ZR17 XL	87W	7.50	7.0-8.5	50	1,201			23.8	8.6	7.4	10.5	873	DSB
1005993	245/40ZR17 XL	95W	8.50	8.0-9.5	50	1,521			24.7	9.8	8.4	10.5	841	DSB
1005279	255/40ZR17 XL	98W	9.00	8.5-10.0	50	1,653			25.0	10.2	8.7	11.0	831	DSB
1004891	275/40ZR17	98W	9.50	9.0-11.0	51	1,653			25.6	10.7	9.4	10.5	811	DSB
1005264	215/45ZR17 XL	91W	7.00	7.0-8.0	50	1,356			24.6	8.5	7.4	10.5	844	DSB
1005265	225/45ZR17 XL	94W	7.50	7.0-8.5	50	1,477			25.0	8.9	7.7	11.0	831	DSB
1005268	235/45ZR17 XL	97W	8.00	7.5-9.0	50	1,609			25.4	9.3	8.0	10.5	818	DSB
1005270	245/45ZR17 XL	99W	8.00	7.5-9.0	50	1,709			25.7	9.6	8.4	11.0	808	DSB
1009501*	255/45ZR17	98W										11.0		DSB
1009496*	205/50ZR17 XL	93W										11.0		DSB
1005810	215/50ZR17	91W	7.00	6.0-7.5	51	1,356			25.5	8.9	7.1	11.0	815	DSB
1005994	225/50ZR17 XL	98W	7.00	6.0-8.0	50	1,653			25.9	9.1	7.4	10.5	802	DSB
1005995	235/50ZR17	96W	7.50	6.5-8.5	50	1,565			26.3	9.6	7.8	10.5	790	DSB
1006710	215/55ZR17	94W	7.00	6.0-7.5	50	1,477			26.3	8.9	7.4	10.5	790	DSB
1005996	225/55ZR17 XL	101W	7.00	6.0-8.0	50	1,819			26.8	9.2	7.4	10.5	775	DSB
1008400	235/55ZR17	99W	7.50	6.5-8.5	51	1,709			23.2	9.6	8.0	10.5	895	DSB
1005263	215/35ZR18 XL	84W	7.50	7.0-8.5	50	1,102			23.9	8.6	7.4	10.5	869	SBL
1008411	275/35ZR18 XL	99W	9.50	9.0-11.0	50	1,709			26.7	10.9	9.4	10.5	778	DSB
1004426	225/40ZR18 XL	92W	8.00	7.5-9.0	50	1,389			25.1	9.1	7.7	11.0	828	DSB
1005272	235/40ZR18 XL	95W	8.50	8.0-9.5	50	1,521			25.4	9.5	8.0	11.0	818	DSB

* Available in 2008 2Q

VENTUS V4ESH105

Ultra-High Performance All Season

V, W-Rated

UTQG: 420/A/A



The superb wet and dry handling is competitive with some of the best UHP summer tires available, but the Ventus V4 ES also gets twice the winter performance of the typical summer UHP tire. The best technological advances in profile design, construction, tread pattern and tread compound have been applied together in one state-of-the-art tire. The result is a sophisticated tire that provides excellent handling in all weather conditions, along with an advanced, cutting-edge appearance.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1005276	245/40ZR18 XL	97W	8.50	8.0-9.5	50	1,609			25.7	9.6	8.4	11.0	808	DSB
1009502*	275/40ZR18	99W										11.0		DSB
1007112	225/45ZR18 XL	95W	7.50	7.0-8.5	50	1,521			25.9	8.9	7.7	11.0	802	DSB
1007870	235/45ZR18 XL	98W	8.00	7.5-9.0	50	1,653			26.3	9.3	8.0	11.0	789	DSB
1005997	245/45ZR18 XL	100W	8.00	7.5-9.0	50	1,764			26.7	9.6	8.4	10.5	778	DSB
1005811	255/45ZR18	99W	8.50	8.0-9.5	51	1,709			27.0	10.0	8.7	11.0	769	DSB
1008402	225/50ZR18	95W	7.00	6.0-8.0	51	1,521			26.9	9.2	7.5	10.5	772	DSB
1008403	235/50ZR18	97W	7.50	6.5-8.5	51	1,609			27.3	9.6	7.8	10.5	761	DSB
1009503*	245/50ZR18	100W										10.5		DSB
1005735	215/35ZR19 XL	85W	7.50	7.0-8.5	50	1,135			24.9	8.5	7.4	10.5	834	SBL
1005736	225/35ZR19 XL	88W	8.00	7.5-9.0	50	1,235			25.2	8.9	7.7	10.5	824	SBL
1005812	235/35ZR19 XL	91W	8.50	8.0-9.5	50	1,358			25.5	9.4	8.0	11.0	815	DSB
1005738	225/30ZR20 XL	85W	8.00	8	50	1,135			25.1	9.2	7.7	10.5	827	DSB
1008398	275/30ZR20 XL	97W	9.50	9.0-10.0	50	1,609			26.5	10.9	9.8	10.5	784	DSB
1005737	225/35ZR20 XL	90W	8.00	7.5-9.0	50	1,323			26.3	8.9	7.7	10.5	790	SBL
1007871	235/35ZR20 XL	92W	8.50	8.0-9.5	50	1,389			26.5	9.5	8.0	11.0	785	DSB
1005813	245/35ZR20 XL	95W	8.50	8.0-9.5	50	1,521			26.8	9.6	8.0	11.0	775	DSB
1005814	255/35ZR20 XL	97W	9.00	8.5-10.0	50	1,609			27.0	10.2	8.8	11.0	769	DSB
1007115	275/35ZR20 XL	102W	9.50	9.0-11.0	50	1,874			27.6	10.7	9.4	11.0	753	DSB
1009498*	285/25ZR22 XL	95W										11.0		SBL
1009497*	295/25ZR22 XL	97W										11.0		SBL
1009499*	235/30ZR22 XL	90W										11.0		SBL
1006543	245/30ZR22 XL	92W	8.50	8.0-9.0	50	1,389			27.7	9.8	8.7	11.0	750	SBL
1006107	255/30ZR22 XL	95W	9.00	8.5-9.5	50	1,521			27.9	10.4	9.1	10.5	746	DSB
1009493*	265/30ZR22 XL	97W										10.5		DSB
1005992	265/35ZR22 XL	102W	9.50	9.0-10.5	50	1,874			29.1	10.8	9.3	10.5	714	DSB
1007872	275/25ZR24 XL	96W	10.00	10	50	1,565			29.4	11.1	9.4	10.5	705	SBL
1009494*	255/30ZR24 XL	97W										10.5		DSB
1009495*	275/30ZR24 XL	101W										10.5		DSB

* Available in 2008 2Q

VENTUS S1^{evo} K107

Premium Ultra-High Performance Summer

Y-Rated

UTQG: 280/AA/A



The Ventus S1 evo K107 was designed and built for improved durability and to minimize distortion at high speeds and high temperatures. The Ventus S1 evo's profile and structure ensure optimal ground contact pressure for responsive performance at high speeds. Optimized ground contact means better handling and performance in both wet and dry road conditions while the tread pattern and footprint minimize hydroplaning, reduce noise and enhance stability.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1005955	225/45ZR17 XL	94Y	7.50	7.0-8.5	50	1,477			25.0	8.8	7.7	10.5	831	SBL
1005959	295/30ZR18 XL	98Y	10.50	10.0-11.0	50	1,653			25.1	11.5	10.4	10.0	828	SBL
1006533	255/35ZR18 XL	94Y	9.00	8.5-10.0	50	1,477			24.9	10.2	8.7	10.0	834	SBL
1005957	265/35ZR18 XL	97Y	9.50	9.0-10.5	50	1,609			25.2	10.6	9.1	10.0	824	SBL
1005956	225/40ZR18 XL	92Y	8.00	7.5-9.0	50	1,389			25.1	9.0	7.7	10.5	828	SBL
1005958	235/40ZR18 XL	95Y	8.50	8.0-9.5	50	1,521			25.3	9.5	8.0	10.5	821	SBL
1006692	275/40ZR18 XL	103Y	9.50	9.0-11.0	50	1,929			26.7	10.9	9.4	10.5	778	SBL
1007316	225/45ZR18 XL	95Y	7.50	7.0-8.5	50	1,521			25.9	8.9	7.7	10.5	801	SBL
1006693	245/45ZR18 XL	100Y	8.00	7.5-9.0	50	1,763			26.7	9.6	8.4	10.5	778	SBL
1005961	255/30ZR19 XL	91Y	9.00	8.5-9.5	50	1,356			25.1	10.0	8.7	10.0	828	SBL
1007866	285/30ZR19	94Y	10.00	9.5-10.5	51	1,477			25.8	11.4	10.1	10.0	806	SBL
1005960	225/35ZR19 XL	88Y	8.00	7.5-9.0	50	1,235			25.3	9.3	7.7	10.0	821	SBL
1006535	245/35ZR19 XL	93Y	8.50	8.0-9.5	50	1,433			25.7	9.8	8.4	10.0	808	SBL
1005966	255/35ZR19 XL	96Y	9.00	8.5-10.0	50	1,565			25.9	10.1	8.7	10.0	802	SBL
1006546	275/35ZR19 XL	100Y	9.50	9.0-11.0	50	1,763			26.6	10.9	9.6	10.0	782	SBL
1006694	245/40ZR19 XL	98Y	8.50	8.0-9.5	50	1,653			26.7	9.7	8.4	10.5	778	SBL
1006695	275/40ZR19 XL	105Y	9.50	9.0-11.0	50	2,039			27.7	10.9	9.4	10.5	750	SBL
1006696	245/45ZR19 XL	102Y	8.00	7.5-9.0	50	1,874			27.7	9.6	8.4	10.5	750	SBL
1005962	275/45ZR19 XL	108Y	9.00	8.5-10.5	50	2,205			28.7	10.9	9.4	10.5	724	SBL
1007867	295/25ZR20 XL	95Y	10.50	10.0-11.0	50	1,521			25.8	11.9	10.5	10.0	804	SBL
1006697	245/30ZR20 XL	90Y	8.50	8.0-9.0	50	1,323			25.6	10.0	8.7	10.0	811	SBL
1006698	275/30ZR20 XL	97Y	9.50	9.0-10.0	50	1,609			26.5	10.9	9.4	10.0	784	SBL
1006545	285/30ZR20 XL	99Y	10.00	9.5-10.5	50	1,709			26.6	11.7	10.1	10.0	781	SBL
1006544	245/35ZR20 XL	95Y	8.50	8.0-9.5	50	1,521			26.6	10.0	8.4	10.0	781	SBL
1005970	295/25ZR22 XL	97Y	10.50	10.0-11.0	50	1,609			27.8	11.9	10.5	10.0	747	SBL
1005969	265/30ZR22 XL	97Y	9.50	9.0-10.0	50	1,433			28.3	10.7	9.1	10.0	734	SBL

VENTUS V12evoK110

Ultra-High Performance Summer

W & Y-Rated

UTQG: 280/AA/A



The new power in sports driving!

A new concept in ultra high performance tires that delivers superb control and braking. Experience unrivalled comfort during high-speed driving. MTR (Multiple Tread Radius), innovative tread design and HPSR (High Tg Polymer & Specific Resin) compound technology provide superior precise control and responsiveness required for performance under extreme driving condition.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1008163	245/40ZR17 XL	95Y										10.0		
1008213	255/40ZR17 XL	98Y										10.0		
1008164	205/45ZR17 XL	88W										10.0		
1008656	215/45ZR17 XL	91W										10.0		
1008404	225/45ZR17 XL	94Y										10.0		
1008165	235/45ZR17 XL	97Y										10.0		
1008215	245/45ZR17 XL	99Y										10.0		
1008166	205/50ZR17 XL	93Y										10.0		
1008172	215/50ZR17 XL	95W										10.0		
1009504	285/30ZR18 XL	97Y										10.0		
1009505	295/30ZR18 XL	98Y										10.0		
1008209	245/35ZR18 XL	92Y										10.0		
1008210	255/35ZR18 XL	94Y										10.0		
1008211	265/35ZR18 XL	97Y										10.0		
1008212	275/35ZR18 XL	99Y										10.0		
1008657	285/35ZR18 XL	101Y										10.0		
1008214	215/40ZR18 XL	89Y										10.0		
1008405	225/40ZR18 XL	92Y										10.0		
1008167	235/40ZR18 XL	95Y										10.0		
1008168	245/40ZR18 XL	97Y										10.0		
1008658	255/40ZR18 XL	99Y										10.0		
1009506	265/40ZR18 XL	101Y										10.0		
1008659	275/40ZR18 XL	103Y										10.0		
1008976	215/45ZR18 XL	93Y										10.0		
1008977	225/45ZR18 XL	95Y										10.0		
1008216	245/45ZR18 XL	100Y										10.0		
1009507	255/45ZR18 XL	103Y										10.0		
1008207	265/30ZR19 XL	93Y										10.0		
1008208	275/30ZR19 XL	96Y										10.0		
1008978	285/30ZR19 XL	98Y										10.0		

VENTUS V12evoK110

Ultra-High Performance Summer

W & Y-Rated

UTQG: 280/AA/A



The new power in sports driving!

A new concept in ultra high performance tires that delivers superb control and braking. Experience unrivalled comfort during high-speed driving. MTR (Multiple Tread Radius), innovative tread design and HPSR (High Tg Polymer & Specific Resin) compound technology provide superior precise control and responsiveness required for performance under extreme driving condition.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1009508	295/30ZR19 XL	100Y										10.0		
1009509	305/30ZR19 XL	102Y										10.0		
1009510	225/35ZR19 XL	88Y										10.0		
1008169	235/35ZR19 XL	91Y										10.0		
1008170	245/35ZR19 XL	93Y										10.0		
1008979	255/35ZR19 XL	96Y										10.0		
1008980	275/35ZR19 XL	100Y										10.0		
1008981	285/35ZR19	99Y										10.0		
1008982	225/40ZR19 XL	93Y										10.0		
1008983	245/40ZR19 XL	98Y										10.0		
1009065	255/40ZR19 XL	100Y										10.0		
1009066	275/40ZR19 XL	105Y										10.0		
1009067	245/45ZR19 XL	102Y										10.0		
1009512	285/25ZR20 XL	93Y										10.0		
1009513	295/25ZR20 XL	95Y										10.0		
1009514	305/25ZR20 XL	97Y										10.0		
1009515	225/30ZR20 XL	85Y										10.0		
1009068	235/30ZR20 XL	88Y										10.0		
1009069	245/30ZR20 XL	90Y										10.0		
1009070	255/30ZR20 XL	92Y										10.0		
1009071	275/30ZR20 XL	97Y										10.0		
1009072	285/30ZR20 XL	99Y										10.0		
1009073	245/35ZR20 XL	95Y										10.0		
1009074	255/35ZR20 XL	97Y										10.0		
1009075	275/35ZR20 XL	102Y										10.0		
1009076	245/40ZR20 XL	99Y										10.0		
1009171	245/45ZR20 XL	103Y										10.0		
1009172	255/45ZR20 XL	105Y										10.0		
1009517	285/30ZR21 XL	100Y										10.0		
1009516	245/35ZR21 XL	96Y										10.0		

VENTUS R-S2 Z212

Maximum Performance Summer

V, W, Y-Rated

UTQG: 200/AA/A



The Ventus R-S2 Z212 was created from the successful Ventus RSS Z211 racing design, brought to the street with improved road contact surface area for dry traction and a tread design featuring exceptional water dispersion for wet conditions. The result is a street tire delivering maximum grip with the proven Ventus Ultra-High Performance tread compound.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1005139	195/60R14	86V	6.00	5.5-7.0	51	1,168			23.2	7.8	6.9	8.5	895	DSB
1007145	225/45ZR15	87W	7.50	7.0-8.5	51	1,201			23.0	8.9	8.0	8.5	903	DSB
1005075	195/50ZR15	82W	6.00	5.5-7.0	51	1,047			22.7	7.8	6.9	8.5	915	DSB
1004677	205/50ZR15	86W	6.50	5.5-7.5	51	1,168			23.1	8.4	7.2	8.5	899	DSB
1006699	225/50ZR15	91W	7.00	6.0-8.0	51	1,356			23.9	9.2	8.0	8.5	869	DSB
1005368	205/45ZR16	83W	7.00	6.5-7.5	51	1,074			23.2	8.1	7.2	8.5	895	DSB
1005085	215/45ZR16	86W	7.00	7.0-8.0	51	1,168			23.6	8.4	7.6	8.5	880	DSB
1005086	225/45ZR16	89W	7.50	7.0-8.5	51	1,279			23.9	8.9	8.0	8.5	869	DSB
1005087	245/45ZR16	94W	8.00	7.5-9.0	51	1,477			24.6	9.6	8.7	8.5	844	DSB
1005076	205/50ZR16	87W	6.50	5.5-7.5	51	1,201			24.1	8.3	7.2	8.5	862	DSB
1005077	225/50ZR16	92W	7.00	6.0-8.0	51	1,389			24.9	9.1	7.6	8.5	834	DSB
1005080	205/55ZR16	91W	6.50	5.5-7.5	51	1,356			24.9	8.3	7.2	8.5	834	DSB
1005939*	215/40ZR17 XL	87Y	7.50	7.0-8.5	50	1,201			23.8	8.6	7.6	8.5	873	SBL
1005940*	235/40ZR17 XL	94Y	8.50	8.0-9.5	50	1,477			24.4	9.5	8.3	8.5	851	DSB
1006766*	245/40ZR17 XL	95Y	8.50	8.0-9.5	50	1,521			24.7	9.8	8.7	8.5	841	DSB
1005941*	215/45ZR17 XL	91Y	7.00	7.0-8.0	50	1,356			24.6	8.4	7.6	8.5	844	DSB
1005141	225/45ZR17 XL	94Y	7.50	7.0-8.5	50	1,477			25.0	8.9	8.0	8.5	831	DSB
1005143	245/45ZR17 XL	99Y	8.00	7.5-9.0	50	1,709			25.7	9.6	8.7	8.5	808	DSB
1008425	315/30ZR18	98Y	11.00	10.5-11.5	50	1,653			25.7	12.6	11.0	8.5	808	DSB
1005118	215/35ZR18 XL	84Y	7.50	7.0-8.5	50	1,102			23.9	8.5	7.6	8.5	869	SBL
1006768*	265/35ZR18 XL	97Y	9.50	9.0-10.5	50	1,609			25.3	10.7	9.4	8.5	821	DSB
1005942*	225/40ZR18 XL	92Y	8.00	7.5-9.0	50	1,389			25.1	9.1	8.0	8.5	828	DSB
1006767*	235/40ZR18 XL	95Y	8.50	8.0-9.5	50	1,521			25.4	9.5	8.3	8.5	818	DSB

* UTQG: 200/A/A

VENTUS H101

Entry Performance All Season

S-Rated

UTQG: 400/A/B



A 50/60 series all-season high performance tire with excellent handling and traction without sacrifice to treadwear. Tread pattern has wide grooves and kerfs provide good all season performance. Computer optimized tread pattern for a smooth, quiet ride.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1000934	P265/50R15	99S	8.50	7.5-9.5	44	1,720			25.4	10.7	9.1	10.5	818	RWL
1000935	P295/50R15	105S	9.50	8.0-10.0	44	2,061			26.6	12.0	10.2	11.0	781	RWL
1000941	P275/60R15	107S	8.00	7.5-9.5	44	2,149			27.9	10.8	8.9	11.0	745	RWL

VENTUS STRH06

All Season SUV Sport Performance

V, W, Y-Rated

UTQG: 420/A/A



Designed specifically for the high performance, luxury SUV market. Controlled footprint shape ensures maximum contact. Remarkable performance and road handling in all weather conditions. Outstanding performance, minimal treadwear, long tread life and a quiet, comfortable ride.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1004322	255/50R17	101W	8.00	7.0-9.0	51	1,819			27.1	10.3	8.8	11.0	767	VSB
1003968	275/60R17	110V	8.00	7.5-9.5	44	2,337			30.0	10.8	9.4	12.5	692	VSB
1003969	285/60R17	114V	8.50	7.5-9.5	44	2,601			30.5	11.5	9.4	12.5	681	VSB
1004324	295/45R18	108V	10.00	9.5-11.0	51	2,205			28.5	11.5	9.8	11.0	729	VSB
1004328	275/40R20 XL	106W	9.50	9.0-10.5	50	2,094			28.7	10.8	9.5	11.0	724	VSB
1004296	275/45R20 XL	109V	9.00	8.5-10.0	50	2,271			29.8	10.6	9.2	11.0	697	VSB
1004231	295/45R20 XL	114V	10.00	9.5-11.0	50	2,601			30.5	11.7	9.8	11.0	681	VSB
1004912	265/50R20 XL	112W	8.50	7.5-9.5	50	2,469			30.5	10.8	8.8	11.0	681	VSB
1003971	285/50R20	112V	9.00	8.0-10.0	51	2,469			31.3	11.2	9.5	11.0	664	VSB
1004295	275/55R20 XL	117V	8.50	7.5-9.5	50	2,833			31.9	11.1	9.2	11.0	651	VSB
1004914	265/35R22 XL	102W	9.50	9.0-10.5	50	1,874			29.3	10.6	8.8	11.0	709	VSB
1004915	285/35R22	102W	10.00	9.5-11.0	51	1,874			29.9	11.2	9.5	11.0	695	VSB
1007457	265/40R22 XL	106V	9.50	9.0-10.5	50	2,094			30.4	10.6	8.8	11.0	683	VSB
1005412	305/40R22 XL	114V	11.00	10.0-12.0	50	2,601			31.6	12.2	10.5	11.0	645	VSB
1008409	275/45R22 XL	112V	9.00	8.5-10.5	50	2,469			31.8	10.7	9.2	11.0	654	VSB
1007301	285/45R22 XL	114V	9.50	9.0-10.5	50	2,601			32.1	11.2	9.5	11.0	633	VSB
1004712	305/45R22 XL	118V	10.00	9.5-11.0	50	2,910			32.8	11.8	10.6	11.0	575	VSB
1008410	285/35R23 XL	107V	10.00	9.5-11.0	50	2,149			30.9	11.4	9.8	11.0	673	VSB
1007302	295/35R24 XL	110V	10.50	10.0-11.5	50	2,337			32.1	11.9	10.1	11.0	639	VSB
1004714	305/35R24 XL	114V	11.00	10.0-12.0	50	2,601			32.5	12.0	10.6	11.0	624	VSB
1005223	305/30R26 XL	111V	11.00	10.5-11.5	50	2,403			33.2	12.3	10.6	11.0	579	VSB
1005901	325/35R28 XL	120V	11.50	11.0-13.0	50	3,086			37.0	13.0	11.3	11.0	562	VSB
1006976	315/30R30 XL	115V	11.00	10.5-11.5	50	2,679			37.5	12.6	10.9	11.0	554	VSB

VENTUS AS RH07

All Season SUV | Sport Truck

H, V & W-Rated
UTQG: 420/A/A



Ventus AS is designed as a suitable replacement O.E. & inch up tire to provide a comfortable, quiet ride plus all-season traction.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1007213	255/65R16	109H	7.50	6.5-8.0	44	2,271			29.1	10.2	8.5	12.0	714	SBL
1007304	235/55R17XL	103H	7.50	6.5 - 8.5	50	1,929			27.2	9.6	7.9	11.0	765	SBL
1007771	275/55R17	109V	8.50	7.5-9.5	44	2,271			28.9	11.2	9.2	11.0	719	SBL
1008988	235/60R17	102H										11.0		SBL
1007320	255/60R17	106V	7.50	7.0-9.0	44	2,094			29.1	10.2	8.4	12.0	715	SBL
1008553	225/65R17	102H										11.0		SBL
1006933	235/65R17 XL	108H	7.00	6.5-8.5	44	2,205			29.1	9.4	7.8	12.0	714	SBL
1006934	245/65R17	107H	7.00	7.0-8.5	44	2,149			29.5	9.8	8.1	12.0	704	SBL
1007305	235/55R18 XL	104V	7.50	6.5-8.5	50	1,984			28.1	9.6	7.9	11.0	738	SBL
1006928	255/55R18 XL	109V	8.00	7.0-9.0	50	2,271			28.0	10.4	8.5	11.0	742	SBL
1007306	275/55R18 XL	114H	8.50	7.5-9.5	50	2,601			29.9	11.2	9.2	11.0	695	SBL
1007313	235/60R18 XL	107V	7.00	6.5-8.5	50	2,149			29.1	9.4	7.8	12.0	714	SBL
1007324	255/60R18	108V										12.0		SBL
1006929	265/60R18	110V	8.00	7.0-8.5	44	2,337			30.5	10.7	6.0	12.0	681	SBL
1007215	275/60R18	113H	8.00	7.5-9.5	44	2,535			31.0	11.0	9.1	12.0	670	SBL
1006931	285/60R18 XL	120H	8.50	8.0-9.0	44	3,086			31.5	11.5	9.4	12.0	659	SBL
1006932	235/65R18	106H	7.00	6.5-8.5	44	2,094			30.0	9.4	7.8	12.0	692	SBL
1009592*	255/65R18	109H										12.0		SBL
1009593*	265/65R18	112H										12.0		SBL
1006930	275/65R18	116H	8.00	7.5-9.5	44	2,756			31.1	11.0	9.1	12.0	668	SBL
1008539	285/45R19	107W										11.0		SBL
1008538	255/50R19	103W										11.0		SBL
1008594	255/55R19 XL	111V										11.0		SBL
1009594*	255/60R19	108H										12.0		SBL
1007773	275/40R20 XL	106V	9.50	9.0-10.5	50	2,094			28.7	10.9	9.2	11.0	725	SBL
1007873	255/45R20 XL	105V	8.50	8.0-9.5	50	2,039			29.1	10.0	8.5	11.0	715	SBL
1008544	265/45R20	104V										11.0		SBL
1006563	275/45R20 XL	110V	9.00	8.0-10.0	50	2,337			29.8	10.7	9.2	11.0	697	SBL
1005202	295/45R20 XL	114V	10.00	9.0-11.0	50	2,601			30.5	11.7	9.8	11.0	681	SBL
1009595*	245/50R20	102V										11.0		SBL
1007874	255/50R20 XL	109V	8.00	7.0-9.0	50	2,271			30.1	10.4	8.5	11.0	691	SBL
1007774	265/50R20 XL	112V	8.50	7.5-9.5	50	2,469			30.5	10.9	8.9	11.0	682	SBL
1006923	285/50R20 XL	116H	9.00	8.0-10.0	50	2,756			31.3	11.7	9.5	11.0	664	SBL
1006924	305/50R20 XL	120H	9.50	8.5-10.5	50	3,086			32.0	12.4	10.6	11.0	649	SBL
1006926	275/55R20 XL	117H	8.50	7.5-9.5	50	2,833			31.9	11.2	9.2	11.0	651	SBL
1006927	275/60R20 XL	119H	8.00	7.5-9.5	44	2,998			33.0	11.0	9.1	12.0	629	SBL
1006925	305/45R22 XL	118H	10.00	9.0-11.0	50	2,910			32.8	11.9	10.6	11.0	633	SBL

* Available in 2008 2Q

VENTUS HR II H405

High Performance All Season

H-Rated

UTQG: 340/A/A



The Ventus HR II is an ultra-low profile radial with a wide footprint for aggressive handling on tight turns and better performance on wet roads. The stylish unidirectional grooves enhance steering stability, rapid drainage, and reduced rolling resistance.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1003621	195/50R15	82H	6.00	5.5-7.0	44	1,047			22.8	7.8	6.1	10.0	911	DSB
1003622	205/50R15	86H	6.50	5.5-7.5	44	1,168			23.1	8.3	6.7	10.0	899	DSB
1002098	205/40R16 RF	83H	7.50	7.0-8.0	50	1,074			22.4	8.4	7.0	10.0	927	DSB
1002106	215/40R16	82H	7.50	7.0-8.5	44	1,047			22.7	8.5	7.4	10.0	915	DSB
1004769	205/45R16 XL	86H	7.00	6.5-7.5	44	1,168			23.2	8.1	7.0	10.0	895	DSB
1004433	205/50R16	87H	6.50	5.5-7.5	50	1,202			24.1	8.3	6.7	10.0	862	DSB
1002182	215/50R16	90H	7.00	6.0-7.5	50	1,323			24.5	8.8	6.8	10.0	848	DSB
1003624	225/50R16	92H	7.00	6.0-8.0	50	1,389			24.9	9.0	7.1	10.0	834	DSB
1003625	245/50R16	96H	7.50	7.0-8.5	50	1,576			25.7	9.8	7.7	10.5	808	DSB
1003737	205/55R16	90H	6.50	5.5-7.5	50	1,356			25.0	8.3	6.5	10.5	831	DSB
1003179	215/55R16	93H	7.00	6.0-7.5	50	1,433			25.3	8.9	6.8	10.5	821	DSB
1003626	225/55R16	95H	7.00	6.0-7.5	50	1,521			25.7	9.1	7.1	10.0	808	DSB
1002108	205/40R17	80H	7.50	7.0-8.0	50	992			23.5	8.3	7.0	10.0	884	DSB
1002096	215/40R17	83H	7.50	7.0-8.5	50	1,074			23.7	8.5	7.4	10.0	877	DSB
1002109	235/40R17	90H	8.50	8.0-9.5	50	1,323			24.3	9.5	8.0	10.0	855	DSB
1003011	245/40R17	91H	8.50	8.0-9.5	50	1,356			24.8	9.7	8.5	10.0	838	DSB
1002094	255/40R17	94H	9.00	8.5-10.0	50	1,477			25.1	10.2	8.7	10.0	828	DSB
1003013	275/40R17	98H	9.50	9.0-11.0	50	1,653			25.7	10.9	9.4	10.0	808	DSB
1002099	215/45R17	87H	7.00	7.0-8.0	50	1,201			24.5	8.4	7.4	10.0	848	DSB
1004847	225/45R17 XL	94H	7.50	7.0-8.5	44	1,477			24.8	8.9	7.7	10.0	838	DSB
1002107	235/45R17	93H	8.00	7.5-9.0	50	1,433			25.2	9.3	8.0	10.0	824	DSB
1002097	245/45R17	95H	8.00	7.5-9.0	50	1,521			25.7	9.6	8.4	10.0	808	DSB
1002095	255/45R17	98H	8.50	8.0-9.5	50	1,653			26.0	10.1	8.7	10.0	799	DSB
1002091	215/50R17	91H	7.00	6.0-7.5	50	1,356			25.4	8.9	6.8	10.5	818	DSB
1004089	225/50R17	94H	7.00	6.0-8.0	50	1,477			25.9	9.1	7.7	10.0	802	DSB
1004246	225/55R17	97H	7.00	6.0-8.0	50	1,609			26.8	9.1	7.1	10.0	775	DSB
1004435	235/55R17	99H	7.50	6.5-8.5	50	1,709			27.2	9.6	8.0	10.5	764	DSB
1003008	225/40R18	88H	8.00	7.5-9.0	50	1,235			25.1	9.1	7.6	10.0	828	DSB
1004768	235/40R18 XL	93H	8.50	8.0-9.5	44	1,433			25.4	9.4	8.0	10.0	818	DSB
1003012	245/40R18	93H	8.00	8.0-9.5	50	1,433			25.7	9.7	8.3	10.0	808	DSB

RadialK106

High Performance Summer

H, V-Rated

UTQG: 340/A/A

The Hankook K106 is a high performance radial designed for serious driving excitement. The radical v-shaped tread pattern efficiently disperses water without compromising speed or handling.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1005882	195/50R15	87H	6.00	5.5-7.0	44	1,047			22.8	7.8	6.1	10.0	911	DSB
1006206	205/50R15	86V	6.50	5.5-7.5	44	1,168			23.1	8.4	6.7	10.0	899	DSB
1006207	195/55R15	85V	6.00	5.5-7.0	44	1,135			23.5	7.9	6.1	10.0	884	DSB
1006208	205/55R15	88V	6.50	5.5-7.0	44	1,235			23.9	8.4	6.5	10.0	869	DSB
1005192	205/45R16 XL	87V	7.00	6.5-7.5	50	1,201			23.2	8.1	7.0	10.0	895	DSB
1005150	205/50R16	87V	6.50	5.5-7.5	44	1,201			24.2	8.3	6.8	10.0	858	DSB
1005149	225/50R16	92V	7.00	6.0-8.0	44	1,389			24.8	9.1	7.1	10.5	838	DSB
1005151	205/55R16	91V	6.50	5.5-7.5	44	1,356			25.0	8.4	6.5	10.5	831	DSB
1005164	215/55R16	93V	7.00	6.0-7.5	44	1,433			25.2	9.0	6.8	10.5	824	DSB
1003490	225/55R16	95V	7.00	6.0-8.0	44	1,524			25.7	9.3	7.1	10.5	808	DSB
1005323	205/40R17	80H	7.50	7.0-8.0	44	992			23.6	8.3	7.0	10.5	880	DSB
1005324	215/45R17	87H	7.00	7.0-8.0	44	1,201			24.7	8.3	7.4	10.5	841	DSB
1005322	225/45R17	91H	7.50	7.0-8.5	44	1,356			25.0	8.8	7.7	10.5	831	DSB
1005325	215/50R17	91H	7.00	6.0-7.5	44	1,356			25.4	8.9	7.4	10.5	818	DSB
1005327	215/35R18	80H	7.50	7.0-8.5	44	992			23.9	8.5	7.4	10.5	869	DSB
1005326	225/40R18	88H	8.00	7.5-9.0	44	1,235			25.1	8.9	7.7	10.5	828	DSB

OPTIMO H418

Performance Touring All Season

H, T, & V-Rated
UTQG: 440/A/A



The Optimo H418 is an H, T, & V-rated, all-season tire that delivers the perfect balance of comfort and technical performance for today's touring sports cars and luxury performance sedans. While the solid central rib aids in handling, the high-angle diagonal grooves channel water away from the center. The interlocking shoulder rib ensures flexibility for wet traction and prevents irregular wear without compromising handling. The high kerf density across the tread adds cutting edges that improve grip on snow and ice, making the H418 the perfect choice for all conditions year-round.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1003768	P185/60R14	82H	5.50	5.0-6.5	44	1,047			22.7	7.4	5.8	10.0	915	DSB
1003769	P195/60R14	85H	6.00	5.5-7.0	44	1,135			23.2	7.8	6.1	10.0	895	DSB
1003771	P175/65R14	81H	5.00	5.0-6.0	44	1,019			23.0	7.0	5.4	10.0	903	DSB
1004493+	P185/65R14	85H	5.50	5.0-6.5	44	1,124			23.4	7.4	5.6	10.0	888	DSB
1003766	P195/65R14	88H	6.00	5.5-7.0	44	1,235			24.0	7.9	5.9	10.0	866	DSB
1004492+	P175/70R14T	84T	5.00	4.5-6.0	44	1,102			23.7	7.0	4.8	10.0	877	DSB
1005356*+	185/55R15	82V	6.00	5.0-6.5	44	1,047			23.1	7.6	5.4	10.0	899	DSB
1004706*+	P195/55R15	84V	6.00	5.5-7.0	44	1,102			23.4	7.6	5.7	10.0	888	DSB
1003647+	P195/60R15	87H	6.00	5.5-7.0	44	1,190			24.2	7.8	5.5	10.0	858	DSB
1003758	P205/60R15	90H	6.00	5.5-7.5	44	1,301			24.6	8.1	6.5	10.5	844	DSB
1003759	P215/60R15	93H	6.50	6.0-7.5	44	1,411			25.1	8.6	6.8	10.5	828	DSB
1003760	P225/60R15	95H	6.50	6.0-8.0	44	1,521			25.6	8.9	7.1	10.5	811	DSB
1003761	P185/65R15	86H	6.00	5.0-6.5	44	1,168			25.0	7.6	5.3	10.5	831	DSB
1003762	P195/65R15	89H	6.00	5.5-7.0	44	1,279			25.0	7.9	5.9	10.0	831	DSB
1003764	P215/65R15	95H	6.50	6.0-7.5	44	1,521			26.0	8.7	6.6	10.5	799	DSB
1004625*+	P205/65R15	92H	6.00	5.5-7.5	44	1,400			25.4	8.2	5.8	10.0	818	DSB
1004835	P205/50R16	86H	6.50	5.5-7.5	44	1,168			24.1	8.3	6.4	10.0	862	DSB
1004836	P225/50R16	91H	7.00	6.0-8.0	44	1,367			24.8	9.0	6.8	10.0	838	DSB
1003911	P205/55R16	89H	6.50	5.5-7.5	44	1,279			24.8	8.3	6.3	10.0	838	DSB
1004833	P215/55R16	91H	7.00	6.0-7.5	44	1,356			25.2	8.7	6.6	10.0	824	DSB
1004834	P225/55R16	94H	7.00	6.0-8.0	44	1,477			25.7	9.0	6.7	10.0	808	DSB
1005983	P235/55R16	96H	7.50	6.5-8.5	44	1,565			26.1	9.5	7.5	10.0	796	DSB
1004626*+	P205/60R16	91H	6.00	5.5-7.5	44	1,356			25.7	8.1	6.5	10.5	808	DSB
1006915	P205/60R16	91V	6.00	5.5-7.5	44	1,356			25.7	8.1	6.5	10.5	808	DSB
1003765	P215/60R16	94H	6.50	6.0-7.5	44	1,477			26.2	8.6	6.8	10.5	793	DSB
1005668+	P235/60R16	99T	7.00	6.5-8.5	44	1,709			26.9	9.2	6.9	11.0	772	DSB
1006914	P215/60R16	94V	6.50	6.0-7.5	44	1,477			26.2	8.6	6.8	10.5	793	DSB
1003112	P225/60R16	97H	6.50	6.0-8.0	44	1,609			26.7	9.0	6.7	10.5	778	DSB
1003767	P235/60R16	99H	7.00	6.5-8.5	44	1,709			27.2	9.3	7.4	10.5	764	DSB
1004440+	P215/65R16	96T	6.50	6.0-7.5	44	1,565			27.0	8.7	6.9	11.0	768	DSB
1007869	P225/65R16	99H	6.50	6.0-8.0	44	1,709			27.5	9.0	6.7	10.5	755	DSB
1005834*+	225/70R16	102T	6.50	6.0-7.5	44	1,874			28.3	9.1	6.7	11.0	734	DSB
1004627+	P215/50R17	90V										10.0		DSB
1008239	P215/55R17	93V	7.00	6.0-7.5	44	1,433			26.3	8.9	7.1	10.0	790	DSB
1008238	P225/55R17	95V	7.00	6.0-8.0	44	1,521			26.8	9.2	7.5	10.0	776	DSB
1008237	P235/55R17	98H	7.50	6.5-8.5	44	1,609			27.2	9.6	7.8	10.0	765	DSB
1007328	P225/60R18	99H	6.50	6.0-8.0	44	1,709			28.6	9.0	6.7	10.5	726	DSB

* 3 Groove Tread Design + UTQG: 400/A/A

OPTIMO H727

Premium Touring All Season

T-Rated

UTQG: 700/A/B



The OPTIMO H727 is a touring tire specifically designed for today's luxury sedans. The computer calculated tread design, featuring CCT (Carbon Compounding Technology) and FSO (Footprint Shape Optimization) affords the driver a quiet, comfortable ride along with uniform wear and long life. Hundreds of "sipes" and open grooves assures outstanding traction on rain soaked or dry roads...especially in tight turns.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1006111	P185/65R14	85T	5.50	5.0 - 6.5	44	1,124			23.4	7.4	6.2	11.5	888	DSB
1006104	P195/70R14	90T	6.00	5.0 - 6.5	44	1,312			24.7	8.0	6.5	11.5	842	DSB
1006836	P185/60R15	84T	5.50	5.0 - 6.5	44	1,102			23.7	7.4	6.4	11.5	875	DSB
1006117	P195/60R15	87T	6.00	5.5 - 7.0	44	1,190			24.2	7.8	6.7	11.5	858	DSB
1006118	P205/60R15	90T	6.00	5.5 - 7.5	44	1,301			24.7	8.1	7.0	11.5	840	DSB
1006119	P215/60R15	93T	6.50	6.0 - 7.5	44	1,411			25.2	8.5	7.4	11.5	824	DSB
1006112	P195/65R15	89T	6.00	5.5 - 7.0	44	1,279			25.0	7.9	6.5	11.5	831	DSB
1006113	P205/65R15	92T	6.00	5.5 - 7.5	44	1,400			25.5	8.1	6.9	12.0	816	DSB
1006114	P215/65R15	95T	6.50	6.0 - 7.5	44	1,510			26.0	8.6	7.2	12.0	798	DSB
1006105	P205/70R15	95T	6.00	5.0 - 7.0	44	1,499			26.3	8.2	6.9	12.0	789	DSB
1006106	P215/70R15	97T	6.50	5.5 - 7.0	44	1,620			26.9	8.8	7.2	12.0	773	DSB
1006108	P225/70R15	100T	6.50	6.0 - 7.5	44	1,753			27.4	9.1	7.6	12.0	757	DSB
1006109	P235/70R15	102T	7.00	6.0 - 8.0	44	1,896			27.9	9.6	7.6	12.0	744	DSB
1006103	P235/75R15 XL	108T	6.50	6.0 - 8.0	50	2,183			28.9	9.4	7.7	12.0	720	DSB
1006123	P205/55R16	89T	6.50	5.5 - 7.5	44	1,279			24.9	8.3	7.0	11.5	834	DSB
1006120	P205/60R16	91T	6.00	5.5 - 7.5	44	1,356			25.7	8.1	7.0	11.5	807	DSB
1005468	P215/60R16	94T	6.50	6.0 - 7.5	44	1,477			26.2	8.6	7.4	11.5	792	DSB
1006121	P225/60R16	97T	6.50	6.0 - 8.0	44	1,609			26.7	8.9	8.0	12.0	779	DSB
1006122	P235/60R16	99T	7.00	6.5 - 8.5	44	1,709			27.2	9.3	8.1	12.0	765	DSB
1006115	P205/65R16	94T	6.00	5.5 - 7.5	44	1,477			26.5	8.2	6.9	12.0	785	DSB
1006116	P215/65R16	96T	6.50	6.0 - 7.5	44	1,565			27.0	8.6	7.2	12.0	768	DSB
1006837	P235/65R16	101T	7.00	6.5 - 8.5	44	1,819			28.1	9.5	7.9	12.5	739	DSB
1006840	P225/55R17	95T	7.00	6.0 - 8.0	44	1,521			26.8	9.2	7.8	12.0	776	DSB
1007265	P215/60R17	95T	6.50	6.0 - 7.5	44	1,521			27.2	8.7	7.2	12.0	764	DSB
1006839	P225/60R17	98T	6.50	6.0 - 8.0	44	1,653			27.6	9.0	7.8	12.0	752	DSB
1006838	P215/65R17	98T	6.50	6.0 - 7.5	44	1,653			28.0	8.7	7.2	12.0	741	DSB
1009490	P225/50R18	94T										12.0		DSB
1009492	P215/55R18	94T										12.0		DSB
1007787	P225/55R18	97T	7.00	6.0-8.0	44	1,609			27.8	9.2	7.8	12.0	747	DSB



Mileage Plus II H725

Standard Touring All Season

S-Rated

UTQG: 620/A/B



The Mileage Plus II is a premium all-season radial that combines quality with value. Extremely low pattern noise is achieved through new advancements in pattern arrangement and computer optimization. Computer modeling profile design improves handling. The Mileage Plus II handles superbly in all seasons and provides a comfortable, quiet ride.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1004553	P175/65R14	81S	5.00	5.0-6.0	44	1,019			23.0	6.9	5.3	10.0	903	SBL
1004554	P185/65R14	85S	5.50	5.0-6.5	44	1,124			23.5	7.4	5.6	10.5	884	SBL
1004556	P195/65R14	88S	6.00	5.5-7.0	44	1,235			23.9	7.8	5.9	10.5	869	SBL
1004558	P175/70R14	84S	5.00	4.5-6.0	44	1,102			23.7	6.9	5.1	10.5	877	WSW
1004559	P185/70R14	85S	5.50	4.5-6.0	44	1,201			24.2	7.4	5.4	10.5	858	WSW
1004563	P195/70R14	90S	6.00	5.0-6.5	44	1,312			24.7	7.9	5.7	10.5	841	SBL
1004564	P205/70R14	93S	6.00	5.0-6.5	44	1,433			25.2	8.2	6.0	11.0	824	WSW
1004566	P215/70R14	96S	6.50	5.5-7.0	44	1,554			25.8	8.6	6.3	11.0	805	WSW
1004858	P225/70R14	98S	6.50	6.0-7.5	44	1,675			26.3	8.9	6.6	11.0	790	WSW
1004568	P185/75R14	89S	5.00	4.5-6.0	44	1,290			24.9	7.3	5.2	11.0	834	WSW
1004569	P195/75R14	92S	5.50	5.0-6.5	44	1,400			25.4	7.8	5.5	11.0	818	WSW
1004570	P205/75R14	95S	5.50	5.0-7.0	44	1,532			26.0	8.0	5.8	11.0	799	WSW
1004550	P205/60R15	90S	6.00	5.5-7.5	44	1,301			24.6	8.1	6.4	10.5	844	SBL
1004551	P215/60R15	93S	6.50	6.0-7.5	44	1,411			25.1	8.6	6.7	10.5	828	SBL
1004555	P185/65R15	86S	5.50	5.0-6.5	44	1,168			24.4	7.4	5.6	10.5	851	SBL
1004560	P195/65R15	89S	6.00	5.5-7.0	44	1,279			25.0	7.8	5.9	10.5	832	SBL
1004561	P205/65R15	92S	6.00	5.5-7.5	44	1,400			25.4	8.1	6.2	10.5	818	SBL
1004562	P215/65R15	95S	6.50	6.0-7.5	44	1,510			25.9	8.5	6.5	10.5	802	SBL
1004565	P205/70R15	95S	6.00	5.0-7.0	44	1,499			26.3	8.1	6.0	11.0	790	WSW
1004567	P215/70R15	97S	6.50	5.5-7.0	44	1,620			26.8	8.7	6.3	11.0	775	WSW
1003953	P225/70R15	100S	6.50	6.0-7.5	44	1,753			27.4	8.9	6.6	11.0	758	WSW
1004572	P235/70R15	102S	7.00	6.0-8.0	44	1,896			27.9	9.4	6.9	11.0	745	WSW
1004573	P205/75R15	97S	5.50	5.0-7.0	44	1,598			27.0	8.0	5.8	11.0	769	WSW
1004575	P215/75R15	100S	6.00	5.5-7.0	44	1,742			27.6	8.4	6.1	11.0	753	WSW
1005335	P225/75R15	102S	6.00	6.0-7.5	44	1,874			28.2	8.8	6.4	11.0	737	WSW
1004576	P235/75R15	105S	6.50	6.0-8.0	44	2,028			28.7	9.4	6.7	11.0	724	WSW
1004549	P205/55R16	89S	6.50	5.5-7.5	44	1,279			24.8	8.2	6.6	10.5	838	SBL
1005336	P205/60R16	91S	6.00	5.5-7.5	44	1,356			25.6	8.1	6.4	10.5	811	SBL
1004552	P215/60R16	94S	6.50	6.0-7.5	44	1,477			26.1	8.6	6.7	10.5	796	SBL
1004557	P225/60R16	97S	6.50	6.0-8.0	44	1,609			26.6	8.8	7.0	11.0	781	SBL

Radial H714 3 Groove

Economic Passenger All Season

H, T-Rated

UTQG: 380/A/B

Three-groove version of all-season performance radial. The unique tread pattern disperses water to the sides of the tire while the extra-wide grooves enhance wet handling and braking.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1003466	175/70R13	82T	5.00	4.5-6.0	44	1,047			22.7	6.9	4.9	9.5	915	VS
1003469	185/70R13	86T	5.50	4.5-6.0	44	1,168			23.2	7.4	5.1	9.5	895	VS
1003467	185/60R14	82H	5.50	5.0-6.5	44	1,047			22.6	7.4	5.2	9.5	919	VS
1003471	195/60R14	86H	6.00	5.5-7.0	44	1,168			23.2	7.8	5.4	9.5	895	VS
1003465	175/65R14	82T	5.00	5.0-6.0	44	1,047			23.0	6.9	4.9	9.5	903	VS
1003468	185/65R14	86H	5.50	5.0-6.5	44	1,168			23.3	7.4	5.2	9.5	892	VS
1003470	185/70R14	88T	5.50	4.5-6.0	44	1,235			24.3	7.4	5.1	9.5	855	VS
1003473	195/70R14	91T	6.00	5.0-6.5	44	1,356			24.7	7.9	5.4	9.5	841	VS
1003474	205/70R14	95T	6.00	5.0-7.0	44	1,521			25.3	8.2	5.7	9.5	821	VS
1005932	195/60R15	88H	6.00	5.5-7.0	44	1,234			24.0	7.8	6.1	9.5	866	VS
1002998	205/60R15	90H	6.00	5.5-7.5	44	1,356			24.7	8.2	6.5	10.0	841	VS
1003472	195/65R15	91H	6.00	5.5-7.0	44	1,356			24.9	7.8	5.4	9.5	834	VS

Radial H714 4 Groove

Economic Passenger All Season

H, S, T-Rated

UTQG: 380/A/B

Four-groove version of all-season performance radial. The unique tread pattern disperses water to the sides of the tire while the extra-wide grooves enhance wet handling and braking.



Product #	Size	S/L	RW	Measuring Rim	Single		Dual		OD	SW	TW	Tread Depth	Revs/ Mile	Sidewall Type
					Air	Load	Air	Load						
1003475	P155/80R13	79S	4.50	4.0-5.0	44	959			22.6	6.2	3.8	9.0	919	WSW
1003477	P185/80R13	90S	5.00	4.5-6.0	44	1,301			24.4	7.3	4.6	9.5	851	WSW
1003476	P185/70R14	87S	5.50	4.5-6.0	44	1,201			24.1	7.4	4.8	9.5	862	WSW
1003478	P195/70R14	90S	6.00	5.0-6.5	44	1,312			24.6	7.9	5.0	9.5	846	WSW
1003479	P205/70R14	93S	6.00	5.0-7.0	44	1,433			25.2	8.1	5.3	10.0	824	WSW
1003483	P215/70R14	96S	6.50	5.5-7.0	44	1,554			25.7	8.7	5.6	10.0	808	WSW
1001270	P185/75R14	89S	5.00	4.5-6.0	44	1,290			24.8	7.3	4.6	9.5	838	WSW
1001274	P195/75R14	92S	5.50	5.0-6.5	44	1,400			25.3	7.8	4.8	9.5	821	WSW
1003481	P205/75R14	95S	5.50	5.0-7.0	44	1,532			25.9	8.1	5.0	10.0	802	WSW
1003485	P215/75R14	98S	6.00	5.5-7.0	44	1,664			26.5	8.6	5.3	10.0	784	WSW
1005261	P205/60R15	90T	6.00	5.5-7.5	44	1,301			24.5	8.1	5.7	10.0	848	VSB
1005266	P215/60R15	93T	6.50	6.0-7.5	44	1,411			25.0	8.7	5.9	10.0	831	VSB
1006502	P215/60R15	93H	6.50	6.0-7.5	44	1,411			25.0	8.7	5.9	10.0	831	VSB
1005262	P205/65R15	92T	6.00	5.5-7.5	44	1,400			25.4	8.3	5.7	10.0	818	VSB
1005422	205/65R15	92H	6.00	5.5-7.5	44	1,477			25.4	8.0	5.8	10.0	818	VSB
1005423	215/65R15	95H	6.50	6.0-7.5	44	1,565			25.9	8.6	6.6	10.0	802	VSB
1003480	P205/70R15	95S	6.00	5.0-7.0	44	1,499			26.2	8.1	5.3	10.0	793	WSW
1003484	P215/70R15	97S	6.50	5.5-7.0	44	1,620			26.7	8.7	5.6	10.0	778	WSW
1003487	P225/70R15	100S	6.50	6.0-7.5	44	1,753			27.3	8.9	5.8	10.0	761	WSW
1003482	P205/75R15	97S	5.50	5.0-7.0	44	1,598			26.9	8.0	5.0	10.0	772	WSW
1003486	P215/75R15	100S	6.00	5.5-7.0	44	1,742			27.4	8.6	5.3	10.0	758	WSW
1003488	P225/75R15	102S	6.00	6.0-7.5	44	1,874			28.0	8.8	5.6	10.0	742	WSW
1003489	P235/75R15	105S	6.50	6.0-8.0	44	2,028			28.6	9.4	5.8	10.0	726	WSW
1006498	P205/60R16	91H	6.00	5.5-7.5	44	1,356			25.7	8.1	6.5	10.0	808	VSB
1005275	P215/60R16	94T	6.50	6.0-7.5	44	1,477			26.0	8.6	5.9	10.0	799	VSB
1006499	P215/60R16	94H	6.50	6.0-7.5	44	1,477			26.0	8.6	5.9	10.0	799	VSB
1005278	P225/60R16	97T	6.50	6.0-8.0	44	1,609			26.5	9.0	6.3	10.0	784	VSB
1006500	P225/60R16	97H	6.50	6.0-8.0	44	1,609			26.5	9.0	6.3	10.0	784	VSB
1006501	P235/60R16	99H	7.00	6.5-8.5	44	1,709			26.9	9.6	6.6	10.0	772	VSB
1005273	P205/65R16	94T	6.00	5.5-7.5	44	1,477			26.4	8.3	5.7	10.0	787	VSB
1005277	P215/65R16	96T	6.50	6.0-7.5	44	1,565			26.9	8.7	5.9	10.0	772	VSB