



With its many features, the Pro Comp All Terrain stomps the competition! Only the Pro Comp All Terrain has a 50,000 mile warranty and a Severe Weather rating. Dualguard™ polyester body plies and Elliptical Siping pattern provide maximum puncture resistance with superior gripping power for all weather traction. Dual radius tread arc and 50 degree triple center lug design provide greater traction while maximizing wear and performance.



Part#	Size	Range	Sidewall	Load		OD	OW	TW	TD	RW	WGT
				Single	Dual						
1622570	P225/70R16	STD	OWL	1874		28.4	8.9	7.1	13.5	6.0-7.0	31.2
15030	30X9.50R15	C	OWL	1985		29.3	9.3	7.3	16.5	6.5-8.5	35.8
15031	31X10.50R15	C	OWL	2270		30.2	10.5	8.2	16.5	7.0-9.0	39.9
15231	31X12.50R15	C	OWL	1930		30.7	12.5	9.7	18.0	8.0-11.0	42.4
15032	32X11.50R15	C	OWL	2535		31.3	11.4	8.8	18.0	8.0-10.0	44.6
15033	33X12.50R15	C	OWL	2205		32.4	12.4	9.6	18.0	8.0-11.0	50.1
15035	35X12.50R15	C	OWL	2535		34.8	12.9	10.0	18.0	8.0-11.0	60.5
160265	LT265/75R16	E	OWL	3415	3085	31.6	10.5	8.0	16.0	7.0-8.5	47.4
16285	LT285/75R16	D	OWL	3305	3000	32.9	11.3	9.0	16.5	7.0-9.0	53.0
16305	LT305/70R16	D	OWL	2910	2680	32.8	11.9	9.8	18.0	8.0-9.5	57.5
Equivalent	33X12.50R16										
16315	LT315/75R16	D	OWL	3195		34.8	12.9	10.0	18.0	8.0-10.0	63.4
Equivalent	35X12.50R16										
160225	LT225/75R16	E	BW	2680	2470	29.5	8.8	6.8	16.5	6.0-7.0	40.6
160235	LT235/85R16	E	BW	3042	2778	31.8	9.4	6.9	16.5	6.0-7.0	42.7
160245	LT245/75R16	E	OWL	3042	2778	30.5	9.6	7.4	16.5	6.5-7.5	44.3
16533	33X12.50R16.5	D	OWL	2910		32.3	12.7	9.6	18.0	8.25-9.75	54.6
170265	LT265/70R17	E	OWL	3195	2910	31.7	10.7	8.5	16.5	7.0-8.5	50.6
17285	LT285/70R17	D	OWL	3195		32.8	11.5	9.2	17.0	7.0-8.5	50.0
17033	33X12.50R17	D	OWL	2600		32.3	12.4	9.6	18.0	8.0-11.0	54.6
17035	35X12.50R17	D	OWL	3000		34.9	12.9	9.8	18.0	8.0-11.0	64.0
1828560	285/60R18	B	BW	2756		31.3	11.7	9.7	12.0	8.0-10.0	43.0
1865275	LT275/65R18	E	OWL	3415	3085	32.2	11.0	8.8	18.0	7.5-9.5	51.0
1027560	275/55R20 XL	C	BW	2833		31.9	12.7	9.4	13.0	7.5-9.5	45.0
1027555	275/60R20 XL	C	BW	2998		32.9	12.7	9.1	13.0	8.0-9.5	50.0



The Pro Comp Mud Terrain is one of the most widely respected mud terrain tires on the market. It digs deep into mud, snow and sand, yet is completely streetable with low noise and long tread life. The High Void Three Lug Shoulder design provides a larger, more aggressive open grip spur for increased traction and self-cleaning. Twin Rib Siping and Dualguard™ polyester body plies deliver extra traction with maximum puncture resistance. Corner lugs with deep traction bars resist clog-up and maximize the biting edge for increased traction in mud and rocks.



"When there's mud in your blood!"



XTREME ENTERTAINMENT FOR YOUR TRUCK.

Part#	Size	Range	Sidewall	Load		OD	OW	TW	TD	RW	WGT
				Single	Dual						
25030	30/9.50R15	C	OWL	1985		29.3	10.1	7.8	19.5	6.5-8.5	37.4
25031	31/10.50R15	C	OWL	2270		30.5	10.5	8.3	20.0	7.0-9.0	41.2
25231	31/12.50R15	C	OWL	1930		31.0	12.4	9.7	20.0	8.0-11.0	43.4
25032	32/11.50R15	C	OWL	2535		31.4	11.4	9.0	20.0	8.0-10.0	46.5
25033	33/12.50R15	C	OWL	2205		32.5	12.8	9.9	20.5	8.5-11.0	53.1
25035	35/12.50R15	C	OWL	2535		34.9	12.9	10.0	20.5	8.0-11.0	65.0
260265	LT265/75R16	E	OWL	3415	3085	32.0	10.1	7.7	18.5	7.0-9.0	47.0
26285	LT285/75R16	D	OWL	3305	3000	33.1	11.3	8.9	18.5	7.5-9.0	54.8
26305	305/70R16	D	OWL	2910	2680	32.9	11.9	9.8	18.5	8.0-9.5	56.8
Equivalent	33/12.50R16										
26315	LT315/75R16	D	OWL	3195		34.8	12.5	9.8	20.0	8.0-10.0	61.0
Equivalent	35/12.50R16										
26533	33/12.50R16.5	D	OWL	2910		32.5	12.7	9.9	20.5	8.25-9.75	56.4
27033	33/12.50R17	D	OWL	2600		32.5	12.5	9.9	20.5	8.0-11.0	58.2
27035	35/12.50R17	D	OWL	3000		34.9	12.7	9.8	20.5	8.0-11.0	63.5
271237*	37/12.50R17	D	BW	3525		36.9	13.1	10.0	20.0	8.0-11.0	84.4
281235*	35/12.50R18	E	OWL	3195		34.8	12.5	10.0	20.0	8.0-11.0	68.9

\* Triple Ply



XTREME ENTERTAINMENT  
FOR YOUR TRUCK.

The Pro Comp XTerrain's high void directional tread pattern takes over where other directional tires leave off. It's staggered directionally grooved tread pattern has full length lug sipes for superior on- or off-road traction that makes it superior in mud, snow, slush, loose dirt, rock, and road. It's alternating open lug shoulder grip spurs aid in increased traction and self-cleaning. The XTerrain's extra thick sidewall treatment helps resist scrapes and cuts, while maximizing a biting edge for increased traction on rocks or in the mud. Dualguard™ polyester body plies allow maximum puncture resistance without losing total flexibility in off-road applications.

**Advanced Tire Technology and Sizes That Rule!**



Part#	Size	Range	Sidewall	Load		OD	OW	TW	TD	RW	WGT
				Single	Dual						
35031	31X10.50R15	C	BW	2270		30.5	10.5	8.3	19.0	7.0-9.0	41.2
35231	31X12.50R15	C	BW	1930		31.0	12.4	9.7	18.0	8.0-11.0	43.4
35033	33X12.50R15	C	BW	2205		32.5	12.5	9.9	19.0	8.0-11.0	53.0
35035	35X12.50R15	C	BW	2535		34.7	12.9	10.0	18.0	8.0-11.0	65.0
36285	LT285/75R16	D	BW	3305	3000	33.1	11.3	8.9	16.5	7.5-9.0	54.8
36305	LT305/70R16										
Equivalent	33X12.50R16	D	BW	3195		34.8	12.5	9.8	18.0	8.0-10.0	63.8
36315	LT315/75R16										
Equivalent	35X12.50R16										
37305	33X12.50R17	E	BW	3195	2910	32.6	12.2	9.8	20.0	8.0-11.0	58.0
Equivalent	305/65R17										
37035	35X12.50R17	D	BW	3000		34.9	12.7	9.8	18.5	8.0-11.0	61.1



XTREME ENTERTAINMENT  
FOR YOUR TRUCK.

**This Awesome Monster is load rated to handle all your hauling needs. Pro Comp's new "TRI-PLY" construction provides "THREE FULL PLY" sidewalls along with TWO layers of opposed-angle steel belting combined with a full layer of nylon that spans the tread area. This unique "SIX-PLY" tread allows for maximum puncture resistance but still has total predictability and flexibility when using lower air pressure off-road. Pro Comp's XTC Xterrain comes exclusively with its own rubber compound in the tread area - Xtreme Traction Compound. The new XTC Xterrain makes it a heavy weight contender, a tire that will have to be reckoned with for years to come.**

**Advanced Tire Technology and Sizes That Rule!**



Part#	Size	Range	Sidewall	Load		OD	OW	TW	TD	RW	WGT
				Single	Dual						
35037	37X13.50R15	C	BW	3000		36.8	13.6	10.8	20.5	8.0-11.0	83.0
36325	325/80R16	D	BW	3525	3195	36.8	13.1	10.8	20.5	8.0-11.0	84.9
Equivalent	37X13.50R16										
36385	355/80R16	E	BW	3525	3195	38.4	14.1	11.4	20.5	9.0-12.0	92.0
Equivalent	38.5X14.50R16										
36040	345/85R16	D	BW	3525	3195	39.8	13.6	10.8	20.5	9.0-11.0	90.0
Equivalent	40X13.50R16										
371237	37X12.50R17	D	BW	3525		36.9	13.4	10.0	23.0	8.0-11.0	83.0
*37037	37X13.50R17	D	BW	3195		36.8	13.6	10.8	20.5	8.0-11.0	85.0
*37385	38.5X14.50R17	E	BW	3195		38.4	15.2	11.4	20.5	9.0-12.0	93.0
*37040	40X13.50R17	D	BW	3195		39.8	14.6	10.8	20.5	8.0-11.0	91.0
*38033	325/60R18	E	BW	3525	3195	33.2	13.3	10.8	20.5	9.0-12.0	72.0
Equivalent	33X13.50R18										
381235	35X12.50R18	E	BW	3415		34.8	12.5	10.0	20.0	8.0-11.0	68.9
*38035	325/65R18	E	BW	3860	3525	34.8	13.5	10.8	20.5	8.0-12.0	76.0
Equivalent	35X13.50R18										
*38037	37X13.50R18	D	BW	3525		36.8	13.9	10.7	20.5	8.0-11.0	86.0
38040	40X13.50R18	D	BW	3525		39.8	13.9	10.8	20.5	8.0-11.0	95.0
38385	38.5X14.50R18	E	BW	3525		38.4	15.1	11.4	20.5	9.0-12.0	91.0
*30033	325/50R520	E	BW	3085	2835	33.0	13.5	10.8	20.5	9.0-12.0	73.0
Equivalent	33X13.50R20										
*30035	35X13.50R20	E	BW	3305		34.7	13.7	10.5	20.5	8.0-11.0	76.0
*30037	37X13.50R20	E	BW	3525		36.8	13.9	10.8	20.5	9.0-11.0	80.0
*30385	38.5X14.50R20	E	BW	3525		38.4	14.9	11.4	20.5	9.0-12.0	91.0
*30040	40X13.50R20	D	BW	3970		39.8	13.6	10.8	20.5	8.0-12.0	95.0
*301040	40X13.50R20	E	BW	4675		39.8	13.6	10.8	20.5	8.0-11.0	95.0

\* XTC Rubber



"It's all in the rubber"

**XTREME ALL TERRAIN TIRES, THE ONLY DIRECTIONAL ALL TERRAIN.**

**16, 17, 18, 20 inch rims? Now it doesn't matter, you don't have to settle for less.**

**The "NEW" Xtreme A/T gives you aggressive styling, wet weather traction, incredible off-road capabilities and long life. Using the [NEXT] Generation Tire Technology, Pro Comp Tire gives you what you've been waiting for, a tire that's equally at home on the street and in the dirt. Pro Comp Xtreme A/T tires comes with 40,000 Mile Tread Wear Warranty.**

**"Watch Out there's a "New Monster" under the bed!"**



XTREME ENTERTAINMENT FOR YOUR TRUCK.



**YOU DON'T HAVE TO SETTLE FOR LESS!**

- XTREME PERFORMANCE ● XTREME TRACTION
- XTREME TREAD WEAR ● XTREME LOOK
- XTREME LOAD CAPACITY ● XTREME DURABILTY

Part#	Size	Range	Sidewall	Load		OD	OW	TW	TD	RW	WGT
				Single	Dual						
*55031	31X10.50R15	C	BW	2270		30.5	10.5	8.3	18	7.0-9.0	41.2
*560265	LT265/75R16	E	BW	3415	3085	31.6	10.5	7.9	18	7.0-8.0	48.6
*56285	LT285/75R16	D	OWL	3305	3000	33.1	11.3	8.9	20	7.5-9.0	54.8
*56315	LT315/75R16	D	BW	3195		34.6	12.9	10	20	8.0-10.0	63.4
56325	LT325/80R16	D	BW	3525	3195	36.8	13.6	10.8	22	8.0-11.0	89.5
Equivalent	37X13.50R16										
56385	LT355/80R16	E	BW	3525	3195	38.5	15.1	11.4	22	9.0-12.0	93.8
Equivalent	38.5X14.50R16										
*57305	LT305/65R17	E	BW	3195	2910	32.6	12.1	9.8	20	8.0-11.0	60.0
Equivalent	33X12.50R17										
*57035	35X12.50R17	D	BW	3000		34.9	12.9	9.8	20	8.0-11.0	66.0
571237	37X12.50R17	D	BW	3525		36.9	12.8	10	22	8.0-11.0	84.2
57037	37X13.50R17	D	BW	3195		36.8	14.2	10.8	22	8.0-11.0	90.9
57385	38.5X14.50R17	E	BW	3195		38.5	15.1	11.4	22	9.0-12.0	98.5
58033	LT325/60R18	E	BW	3525	3195	33.2	13.8	10.8	22	9.0-12.0	76.9
Equivalent	33X13.50R18										
581235	35X12.50R18	E	BW	3415		34.8	12.8	10	19	8.0-11.0	68.9
58035	LT325/65R18	E	BW	3860	3525	34.8	13.6	10.8	22	9.0-12.0	76.9
Equivalent	35X13.50R18										
58037	37X13.50R18	D	BW	3525		36.8	14.1	10.7	22	8.0-11.0	91.0
58385	38.5X14.50R18	E	BW	3525		38.5	15	11.4	22	10.0-12.0	94.0
50033	LT325/50R20	E	BW	3085	2835	33	13.5	10.8	20	9.0-12.0	76.0
Equivalent	33X13.50R20										
50035	35X13.50R20	E	BW	3305		34.8	13.9	10.7	20	8.0-11.0	80.6
50037	37X13.50R20	E	BW	3525		36.8	13.9	10.7	20	9.0-11.0	84.0
50385	38.5X14.50R20	E	BW	3525		38.5	14.9	11.4	22	10.0-12.0	94.6
501040	40X13.50R20	E	BW	4675		39.8	13.6	10.8	20.5	8.0-11.0	95.0

\* 2 PLY



XTREME ENTERTAINMENT  
FOR YOUR TRUCK.

"When there's mud  
in your blood!"

### Amor-Tek3 Carcass Construction

The heavy-duty Carcass is constructed of two radial polyester body plies and one angled polyester body ply to deliver three plies of protection for superior resistance to impact breaks and bruising.

### Deep Buttress Lug

The aggressive tread design extends far down the sidewall of the tire to enhance its soft surface traction and also provides additional "bite" in rock crawling application.



Part#	Size	Range	Sidewall	Load		OD	OW	TW	TD	RW	WGT
				Single	Dual						
65031	31X10.50R15	C	OWL	2270		30.8	10.9	8.3	20	7.0-9.0	47.0
65033	33X12.50R15	C	OWL	2205		32.8	12.1	9.7	20.5	8.5-11.0	56.0
65035	35X12.50R15	C	OWL	2535		34.8	12.2	10	20.5	8.5-11.0	66.0
660265	LT265/75R16	E	OWL	3415		32	10.1	8.3	18	7.0-9.0	53.0
66285	LT285/75R16	D	OWL	3305		33.1	11.3	8.9	18	7.5-9.5	56.0
66315	LT315/75R16	D	OWL	3195		34.5	11.9	9.8	20	8.0-11.0	66.0
670265	LT265/70R17	E	OWL	3195		31.9	10.8	8.3	18	7.0-9.0	53.0
67285	LT285/70R17	D	OWL	3195		33	11.5	8.9	18	7.5-9.5	57.0
67305	LT305/65R17	E	BLK	3195		32.8	12.2	10	21	8.5-11.0	58.0
67315	LT315/70R17	D	OWL	3195		34.7	12.7	9.8	19	8.0-11.0	68.0
671237	37X12.50R17	D	BLK			36.9	13.1	10	23	8.5-11.0	83.0
6701237	37X12.50R17	E	BLK	3525		36.9	13.1	10	23	8.5-11.0	83.0
680305	LT305/70R18	E	OWL	3750		35.1	12.2	10	21	8.0-10.0	71.0
6801237	37X12.50R18	E	BLK	3970		36.8	12.5	10	23	8.5-11.0	87.0
68385	38.50X14.50R18	E	BLK	3525		38.4	14.5	11.4	21	10.0-12.0	91.0
600275	LT275/60R20	E	BLK	3415		33.2	11	9	21	7.5-9.5	55.0
601235	35X12.50R20	E	BLK	3195		34.6	12.5	10	20.5	8.5-11.0	79.0
601237	37X12.50R20	E	BLK	3750		36.8	12.5	10	23	8.5-11.0	82.0
TBA	35X12.50R22	E	BLK	2835		34.8	12.5	10	21	8.5-11.0	73.0
TBA	37X12.50R22	E	BLK	3415		36.8	12.5	10	23	8.5-11.0	78.0