

**OFF ROAD**

Tire Size	P.R.	Rim	OD	OW	T.D	Weight	PrCode
-----------	------	-----	----	----	-----	--------	--------

**G-44 Grader (Tubeless)**

1300-24	12	8.0	50.3	14.1	32	163	OT1324
1300-24	16	8.0	50.3	14.1	32	166	OT1325
1400-24	12	10.0	53.0	15.5	32	187	OT1402
1400-24	16	10.0	53.0	15.5	32	197	PR1410



G-44 Grader

**Super Loader Grader G-2 (Tubeless)**

1300-24	12	8.0	50.3	13.1	30	155	PR9000
1300-24	16	8.0	50.3	13.1	30	167	PR9002
1400-24	12	10.0	53.1	14.3	32	169	PR9006
1400-24	16	10.0	53.1	14.3	32	196	PR9008
1600-24	16	10.0	58.7	17.9	38	315	TU1624
23.5-25	16	19.5	63.8	24.0	40	421	TU1034P
10.5-18	10	18.0	35.6	10.6	25	62	PR9018
12.5-18	12	20.0	39.0	12.8	28	97	PR9020
10.5-20	12	20.0	37.6	10.6	33	90	PR9022
12.5-20	12	20.0	40.9	12.8	29	112	PR9024



Super Loader Grader G-2

**GradeMax G-2 (Tubeless)**

1300-24	12	8.0	50.2	13.1	31	149	PR4120
1400-24	12	10.0	53.0	14.3	31	165	PR4130

GradeMax G-2

**BackTrak R-4 (Tubeless)**

14.9-24	10	13.0	48.8	15.0	32	125	PR4068
16.9-24	8	15.0	51.0	16.9	33	184	PR4070
16.9-24	10	15.0	51.0	16.9	33	193	PR4072
17.5L-24	8	15.0	48.7	17.5	32	149	PR4076
17.5L-24	10	15.0	48.7	17.5	32	161	PR4078
19.5L-24	10	17.0	51.9	19.2	34	203	PR4090
19.5L-24	12	17.0	51.9	19.5	34	210	PR4092
21L-24	12	18.0	54.3	20.9	34	235	PR4095
21L-24	16	18.0	54.3	20.9	34	246	PR4097
16.9-28	12	15.0	55.4	16.9	33	225	PR4099

BackTrak R-4



**OFF ROAD**

Tire Size	P.R.	Rim	OD	OW	T.D	Weight	PrCode
-----------	------	-----	----	----	-----	--------	--------

**Power Industrial R-4 (Tubeless)**

14.9-24	10	13.0	49.5	15.0	32	144	PR4001
14.9-24	12	13.0	49.5	15.0	32	159	PR4002
16.9-24	10	15.0	52.3	16.7	35	179	PR4003
16.9-24	12	15.0	52.3	16.7	35	195	PR4004
16.9-28	10	15.0	56.3	16.5	35	189	PR4015
16.9-28	12	15.0	56.3	16.5	35	195	PR4016
17.5L-24	10	15.0	49.0	18.5	33	178	PR4005
17.5L-24	12	15.0	49.0	18.5	33	184	PR4006
18.4-24 *	12	16.0	53.5	17.7	32	243	TU0995
18.4-26 *	16	16.0	54.0	18.0	32	248	TU1000
19.5L-24	10	17.0	51.7	20.5	35	225	PR4008
19.5L-24	12	17.0	51.7	20.5	35	229	PR4010
21L-24	12	18.0	54.2	21.7	36	253	PR4014
21L-24	16	18.0	54.2	21.7	36	270	PR4018



Power Industrial R-4

**Power Traction G-2**

15.5-25	12	12.0	50.6	16.1	30	177	PR8000
17.5-25	12	14.0	53.8	18.3	34	224	PR8002
17.5-25	16	14.0	53.8	18.3	34	250	PR8004
20.5-25	12	17.0	59.1	21.3	35	285	PR8006
20.5-25	16	17.0	59.1	21.3	35	313	PR8008
23.5-25	16	19.5	TBA	TBA	TBA	TBA	PR8010



Power Traction G-2

**Super Mud & Snow**

1400-24	12	10.0	53.1	14.3	32	186	PR4050
1400-24	16	10.0	53.1	14.3	32	194	PR4054
17.5-25	12	14.0	52.9	17.7	32	240	PR4060
17.5-25	16	14.0	52.9	17.7	32	253	PR4064



Super Mud & Snow

**Rockmaster E/L-3**

15.5-25	12	12.0	50.3	15.5	31	200	PR2053
15.5-25	16	12.0	50.3	15.5	31	219	PR2055
17.5-25	16	14.0	53.1	17.5	38	302	TU2020
17.5-25	20	14.0	53.1	17.5	38	331	TU2022
20.5-25	16	17.0	58.8	20.5	43	430	TU2034
20.5-25	20	17.0	58.8	20.5	43	448	PR2035
23.5-25	16	19.5	63.7	23.5	48	578	TU2037
23.5-25	20	19.5	63.7	23.5	48	596	TU2039
2100-25	28	15.0	68.9	22.5	42	720	TU2050



Rockmaster E/L-3

**OFF ROAD**

Tire Size	P.R.	Rim	OD	OW	T.D	Weight	PrCode
-----------	------	-----	----	----	-----	--------	--------

**DNRZ II E/L-3**

1200-24	20	8.5	49.1	12.3	28	237	PR2050
1600-24	16	10.0	57.4	16.8	36	323	PR2005
1600-25	28	11.3	58.4	17.9	36	525	PR1625
1800-25	32	13.0	63.7	19.6	40	626	PR1629



DNRZ II E/L-3

**DNRZ E/L-3**

26.5-25	20	22.0	67.9	27.5	44	821	TU3060P
26.5-25	26	22.0	67.9	27.5	44	856	TU3062P
33.5-33	44	28.0	87.2	35.4	55	2079	PR2980



DNRZ E/L-3

**DNR S E/L-3**

29.5-25	22	25.0	74.8	31.5	48	1036	PR2950
29.5-25	28	25.0	74.8	31.5	48	1095	PR2952
29.5-29	22	25.0	78.8	31.5	48	1115	PR2925
29.5-29	28	25.0	78.8	31.5	48	1210	PR2929
29.5-35	28	25.0	82.8	31.5	48	1270	PR2935
29.5-35	34	25.0	82.8	31.5	48	1298	PR2937
33.25-35	32	27.0	87.2	35.1	53	1782	PR2960
33.25-35	38	27.0	87.2	35.1	53	1867	PR2962
33.5-33	44	28.0	87.2	35.4	53	1900	PR2980
37.25-35	38	31.0	92.8	39.4	59	2345	PR2970
37.5-33	42	31.0	92.8	40.3	59	2240	PR2985
75/30-33	42	25.0	75.0	30.7	48	1550	PR7533
98/40-41	60	32.0	92.8	39.1	59	2760	PR2990



DNR S E/L-3

**RockLug E-3**

1600-25	28	28.0	58.7	16.9	38	432	PR1630
1800-25	32	13.0	63.6	19.5	40	540	PR1800
29.5-25	28	25.0	73.8	29.5	54	1089	PR2955
29.5-29	28	25.0	77.8	29.5	54	1302	PR2931



RockLug E-3

**OFF ROAD**

Tire Size	P.R.	Rim	OD	OW	T.D	Weight	PrCode
-----------	------	-----	----	----	-----	--------	--------

**SMC XT-4 E-4**

1600-25	28	11.3	58.4	16.9	64	487	PR1812
---------	----	------	------	------	----	-----	--------

SMC XT-4 E-4

**Super Dirt N' Rock II E-4**

1800-33	32	13.0	73.4	20.8	68	906	PR1833
---------	----	------	------	------	----	-----	--------

Super Dirt N' Rock II E-4

**Super Dirt N' Rock E-4**

26.5-25	20	22.0	68.4	27.4	68	970	PR1815
29.5-25	28	25.0	74.4	31.2	72	1273	PR1820

**RockMaster ZXD E-4**

1800-25	32	13.0	65.4	21.1	68	740	PR1804
1800-33	32	13.0	73.4	20.8	68	938	PR1835
2100-35	36	15.0	80.4	23.2	68	1254	PR1806
2400-35	42	17.0	85.0	26.9	72	1517	PR1808

Super Dirt N' Rock E-4

**Rock Service EHT L-5**

20.5-25	20	17.0	61.1	20.6	90	659	PR5021
23.5-25	20	19.5	66.0	23.6	99	861	PR5024
35/65-33	24	28.0	83.0	33.7	120	2411	PR5031
35/65-33	30	28.0	83.0	33.7	120	2465	PR5032

RockMaster ZXD E-4

**Construction Mining CM-5 L-5**

17.5-25	20	14.0	53.6	17.0	80	478	PR5019
20.5-25	20	17.0	58.8	19.2	90	661	PR5020
23.5-25	20	19.5	65.7	22.2	99	993	PR5023
26.5-25	20	22.0	70.8	27.5	110	1395	PR5025
26.5-25	26	22.0	70.8	27.5	110	1435	PR5026
29.5-25	22	25.0	75.7	30.3	128	1496	PR5027
29.5-25	28	25.0	75.7	30.3	128	1595	PR5028
29.5-29	22	25.0	80.8	30.3	128	1755	PR5029
29.5-29	28	25.0	80.8	30.3	128	1827	PR5030

Rock Service EHT L-5

Construction Mining CM-5 L-5



**OFF ROAD**

Tire Size	P.R.	Rim	OD	OW	T.D	Weight	PrCode
-----------	------	-----	----	----	-----	--------	--------

**MineTrak XD L-4**

1000-15	16	7.5	36.4	10.7	40	125	PR5040
---------	----	-----	------	------	----	-----	--------



MineTrak XD L-4

**Monster**

750-16	16	5.5	31.1	8.7	24	55	PR9946
--------	----	-----	------	-----	----	----	--------

Monster

**Worker II F-2**

11L-15	10	8.0	30.8	11.0	16	55	PR01048
11L-16	10	8.0	31.8	12.3	17	58	PR01050



Worker II F-2

**Diamond Master R-3**

23.1-26	12	20.0	61.6	23.2	35	255	PR9960
---------	----	------	------	------	----	-----	--------



Diamond Master R-3

**Smooth Roller**

750-15 TT	6	6.0	30.9	8.5	Smooth	46	PR1300
750-15 TT	12	6.0	30.9	8.5	Smooth	49	PR1305
8.5/90-15K TBL	6	6.0	30.9	8.5	Smooth	46	PR1307
900-20	16	7.0	40.5	10.3	Smooth	95	PR1310
1100-20	18	8.0	42.6	11.5	Smooth	155	PR1314
23.1-26	12	20.0	62.0	23.1	Smooth	346	PR1320



Smooth Roller

**Utility Master E-7**

1400-20	12	7.5	47.5	13.9	12	174	PR9950
1800-25	16	13.0	59.3	19.8	20	299	PR9952

**Sand Tires**

1400-20	12	7.50V	47.5	13.9	12.5	154	TBA
1600-20	16	10.0W	52.1	16.5	17.6	215	TBA
18-20	14	14-20	42.2	18.1	20.8	TBA	TBA
20-20	16	14-20	48.0	20.5	21.4	242	PR9958
2100-25	16	15.0/3	65.9	22.5	22.7	430	TBA
1800-25	16	13.0	59.3	19.8	20.2	315	TBA
24-20.5	16	18.0/0.5	54.0	24.0	22.7	330	TBA
24-21	16	18.0/1.5	54.3	24.0	22.7	328	TBA

**Ditch Grip**

26/12-12	6	10.5	25.7	12.4	20	34	PR7700
26/12-12	10	10.5	25.7	12.4	20	37	PR7705
29/12.5-15	8	10.0	29.3	11.7	22	40	PR7720
31/15.5-15	8	13.0	31.3	15.0	24	72	PR7730



Utility Master E-7

Ditch Grip

**OFF ROAD**

Tire Size	P.R.	Rim	OD	OW	T.D	Weight	PrCode
-----------	------	-----	----	----	-----	--------	--------

**Smooth Trak**

750-20	16	6.5	36.3	8.3	18	61	PR9940
--------	----	-----	------	-----	----	----	--------



Smooth Trak

**MineMaster XDS L5S**

950-20*	16	7.0	41.3	10.4	32	137	PR9902
1000-20*	16	8.0	42.1	11.0	38	271	PR9904
1200-20*	20	8.5	46.2	12.4	42	316	PR9910
1200-24	20	8.5	50.5	13.6	64	362	PR9912
1400-24	28	10.0	53.5	14.2	80	467	PR9913
1400-24	32	10.0	53.5	14.2	80	476	PR9914
1600-25	32	11.3	58.5	16.3	90	606	PR9915
1800-25	32	13.0	65.6	19.0	99	998	PR9916
2100-25	28	15.0	70.8	24.8	110	1397	PR9919
2100-25	32	15.0	70.8	24.8	110	1432	PR9920
17.5-25	20	14.0	53.5	17.1	80	544	PR9922
20.5-25	20	17.0	58.7	19.4	96	765	PR9924
23.5-25	20	19.5	65.7	22.3	99	1026	PR9925
26.5-25	26	22.0	70.9	27.4	110	1474	PR9927
26.5-25	32	22.0	70.9	27.4	110	1604	PR9928
26.5-25	36	22.0	70.9	27.4	110	1654	PR9929
29.5-25	28	25.0	75.7	30.3	123	1846	PR9931
29.5-29	28	25.0	80.9	30.3	123	2010	PR9933
35/65-33	30	28.0	82.1	33.6	123	2475	PR9935

\* denotes L4 tread depth



MineMaster XDS L5S

**HarbourMaster (Port Use)**

1200-20	20	8.5	46.2	12.4	25	235	PR5100
1800-25	40	13.0	65.6	21.4	68	962	PR5060



HarbourMaster (Port Use)

**SXMH (IND-4) (Port Use)**

1200-24	20	8.5	50.4	13.8	48	319	PR5120
1200-24	24	8.5	50.4	13.8	48	354	PR5122
1400-24	24	10.0	53.4	14.2	58	434	PR5126
1400-24	28	10.0	53.4	14.2	58	458	PR5128
1600-25	28	11.3	58.5	16.3	64	594	PR5132
1600-25	32	11.3	58.5	16.3	64	628	PR5134



SXMH (IND-4) (Port Use)

**SDNR (Port Use)**

1800-33	36	13.0	73.4	20.8	68	945	PR5150
2100-35	42	15.0	80.4	23.2	68	1346	PR5160
2400-29	42	17.0	77.5	26.8	48	1325	PR5190



SDNR (Port Use)

**DNR Z (Port Use)**

2100-25	40	15.0	69.2	21.2	47	820	PR5180
---------	----	------	------	------	----	-----	--------



DNR Z (Port Use)